

# **T7 Disaster Recovery Concept 2019**

## Interface Configuration Details

Date

16 September 2019

---

**T7 Disaster Recovery Concept 2019**  
**Interface Configuration Details**

---

---

16 September 2019

---

---

2019 Copyright by Deutsche Börse AG ("DBAG"). All rights reserved.

All intellectual property, proprietary and other rights and interests in this publication and the subject matter of this publication are owned by DBAG or other entities of Deutsche Börse Group. This includes, but is not limited to, registered designs and copyrights as well as trademark and service mark rights.

Specifically, the following trademarks and service marks are owned by entities of Deutsche Börse Group:

Buxl®, DAX®, DivDAX®, eb.rexx®, Eurex®, Eurex Bonds®, Eurex Repo®, Eurex Strategy WizardSM, Euro GC Pooling®, F7®, FDAX®, FWB®, GC Pooling®, GCPI®, M7®, MDAX®, N7®, ODAX®, SDAX®, T7®, TecDAX®, USD GC Pooling®, VDAX®, VDAX-NEW® and Xetra® are registered trademarks of DBAG.

The following trademarks and service marks are used by Deutsche Börse Group under license and are property of their respective owners:

All MSCI indexes are service marks and the exclusive property of MSCI Barra. ATX®, ATX® five, CECE® and RDX® are registered trademarks of Vienna Stock Exchange AG.

IPD® UK Annual All Property Index is a registered trademark of Investment Property Databank Ltd. IPD and has been licensed for the use by Eurex for derivatives.

SLI®, SMI® and SMIM® are registered trademarks of SIX Swiss Exchange AG.

The STOXX® indexes, the data included therein and the trademarks used in the index names are the intellectual property of STOXX Limited and/or its licensors. Eurex derivatives based on the STOXX® indexes are in no way sponsored, endorsed, sold or promoted by STOXX and its licensors and neither STOXX nor its licensors shall have any liability with respect thereto. Bloomberg Commodity IndexSM and any related sub-indexes are service marks of Bloomberg L.P.

PCS® and Property Claim Services® are registered trademarks of ISO Services, Inc.

Korea Exchange, KRX, KOSPI and KOSPI 200 are registered trademarks of Korea Exchange Inc. Taiwan Futures Exchange and TAIFEX are registered trademarks of Taiwan Futures Exchange Corporation. Taiwan Stock Exchange, TWSE and TAIEX are the registered trademarks of Taiwan Stock Exchange Corporation.

BSE and SENSEX are trademarks/service marks of Bombay Stock Exchange (BSE) and all rights accruing from the same, statutory or otherwise, wholly vest with BSE. Any violation of the above would constitute an offence under the laws of India and international treaties governing the same.

Methods and devices described in this publication may be subject to patents or patent applications by entities of Deutsche Börse Group.

Information contained in this publication may be erroneous and/or untimely. Neither DBAG nor any entity of Deutsche Börse Group makes any express or implied representations or warranties regarding the information contained herein. This includes any implied warranty of the information's merchantability or fitness for any particular purpose and any warranty with respect to the accuracy, correctness, quality, completeness or timeliness of the information.

Neither DBAG nor any entity of Deutsche Börse Group shall be responsible or liable for any errors or omissions contained in this publication, except for DBAG's or the respective Deutsche Börse Group entity's wilful misconduct or gross negligence.

Neither DBAG nor any entity of Deutsche Börse Group shall be responsible or liable for any third party's use of any information contained in this publication under any circumstances.

All descriptions, examples and calculations contained in this publication are for illustrative purposes only, and may be changed without further notice.

The names of other companies and third party products may be trademarks or service marks of their respective owners.

---

---

## Table of Content

<b>1</b>	<b>Introduction.....</b>	<b>1</b>
<b>2</b>	<b>Disaster recovery scenario .....</b>	<b>2</b>
<b>3</b>	<b>General considerations .....</b>	<b>4</b>
3.1	Functional .....	4
3.2	Configuration for DR.....	5
3.2.1	Same as Production .....	5
3.2.2	Differ from Production .....	5
<b>4</b>	<b>Disaster recovery network details .....</b>	<b>6</b>
4.1	T7 network details derivatives markets .....	6
4.1.1	Eurex T7 .....	6
4.1.2	EEX T7 .....	8
4.2	T7 network details cash markets .....	10
4.2.1	Xetra T7 .....	10
4.2.2	Xetra Vienna T7.....	12
4.2.3	Xetra Malta T7 .....	14
4.2.4	Xetra Bulgaria T7.....	16
<b>5</b>	<b>Disaster recovery test scope .....</b>	<b>18</b>
<b>6</b>	<b>Change log .....</b>	<b>19</b>

---

## 1 Introduction

This document provides an overview of Deutsche Börse's disaster recovery concept for the T7 trading system. It contains the required technical background information as well as functional features and limitations to enable participants to continue trading in a DR situation.

Furthermore, it describes which interfaces and functionalities are in scope of the annual DR test exercise and which are not (chapter 5).

Please note: Starting in October 2019, Deutsche Börse will offer the possibility to receive EOBI data in case of a Disaster Recovery scenario to customers outside the Equinix data centre (connected via leased line).

Previously the EOBI data stream was not considered part of any Disaster Recovery scenario where the main data centre was affected.

Customers outside Co-Location, connecting via Leased Line, who have access to the regular "A" multicast streams, will be able to receive EOBI data using dedicated EOBI multicast addresses (see chapter 4 for network details). Please make sure that your internal firewall settings are adjusted accordingly.

The receipt of this data can be tested for the first time as part of this year's FIA disaster recovery test on 26 October 2019

For an overall description of T7 network options, please refer to the respective document "N7 Network Access Guide", also available on the Eurex or Xetra website:

[www.eurexchange.com](http://www.eurexchange.com) -> Technology -> T7 Trading architecture -> System documentation -> Release 8.0 -> Network Access

[www.xetra.com](http://www.xetra.com) -> Technology -> T7 Trading architecture -> System documentation -> Release 8.0 -> Network Access

---

## 2 Disaster recovery scenario

The following description is relevant for installations connecting via redundant line WAN connection (Ethernet, E1/T1) outside of the Equinix data centre<sup>1</sup>. Customer installations inside Equinix are considered defunct in a disaster recovery (DR) scenario that results in a complete outage of the Equinix data centre.

Three types of customer installations have to be considered for the T7 DR scenario:

- Customer installations inside the Equinix data centre (CoLocation / Proximity)
- Customer installations connecting to the Frankfurt Access Point (customers in Germany)
- Customer installations connecting to remote Access Points (London, Paris, Amsterdam, Chicago, etc.)

Figure 1 depicts all three types of customer installations and their redundant connectivity to the T7 production back ends.




Figure 1, three location options for T7 connectivity

<sup>1</sup> Combined/iAccess is available in the DR data centre and Equinix, so it depends where the participant's tunnel is terminated as to whether he will still have connection. Tunnels in Equinix do not automatically move to the DR data centre.

T7 Disaster Recovery Concept 2019  
Interface Configuration Details

16 September 2019

Page 3

Figure 2 displays the result of a DR scenario that renders the whole facility of Equinix data centre (FR2) inaccessible.




Figure 2, Disaster recovery scenario

In such a scenario, customer installations connecting to remote access points (i.e. London, Paris, Amsterdam, Chicago, etc.) will continue to use both leased lines connecting them to the local access point. The local access point continues to use backbone lines to Frankfurt which are terminating in the DR data centre.

Customer installations connecting to the Frankfurt access point will be able to continue to use a single leased line connecting to the access point half located in the DR data centre.

Customer installations within the Equinix data centre (FR2) are considered to be non-functional in this DR scenario.

### 3 General considerations

In a disaster recovery scenario, the T7 infrastructure regularly used for T7 simulation will be re-used to serve as disaster recovery production infrastructure.

The switch of the back ends and the transfer of reference data will not be instantaneous but is expected to take up to two hours.

While most T7 interfaces will be available in the disaster recovery scenario, several conceptual differences to regular production exist and have to be accounted for.

#### 3.1 Functional

- Order books will be empty after switch to the DR environment.
  - All keys and sequence numbers are reset and start from "1" again.
  - Trades of the current business day will not be transferred to T7 DR System but can still be inquired from the respective Clearing systems (e.g. Eurex: C7, Xetra: CCP, etc.).
  - All intraday defined strategies are lost and will not be transferred to RDF.
  - Limited number of partitions are running in the DR scenario
  - A new RDF will be produced during DR start up and will be published by the DR back end (as well as further intraday updates) onto the Common Report Engine into the directory for environment 90 (prod).
-

## 3.2 Configuration for DR

### 3.2.1 Same as Production

- User IDs, ETI and FIX sessions will be used from production.
- All TCP and UDP Ports will be the same as for normal production.
- GUI Java WebStart Server will be the same as for normal production<sup>1</sup>.
- FIX Gateway A Side Subnet will be the same as for normal production.
- Stream-A multicast groups will be the same as for normal production for the following T7 broadcast interfaces:
  - Market Data Interface (MDI)
  - Enhanced Market Data Interface (EMDI)
  - Extended Market Data Service (EMDS)
  - Market Signals (MS) - derivatives market only
  - Reference Data Interface (RDI)
- Stream-A Rendezvous Point (RP) will be the same as for normal production.
- Stream-A Technical Heartbeat will be the same as for normal production.
- CRE A-Side Subnet will be the same as for normal production.

### 3.2.2 Differ from Production

- ETI Trading Gateway and Partition Specific Gateway Subnets will differ from regular production.
- GUI Landing Pages and (Crypto) Proxy Servers will differ from regular production<sup>1</sup>.
- Stream-A multicast groups for Enhanced Order Book Interface (EOBI) will differ from regular production.
- Source IP addresses will differ from regular production for the following T7 broadcast interfaces:
  - Market Data Interface (MDI)
  - Enhanced Market Data Interface (EMDI)
  - Enhanced Order Book Interface (EOBI)
  - Extended Market Data Service (EMDS)
  - Market Signals (MS) - derivatives market only
  - Reference Data Interface (RDI)
- Stream-B multicast groups will not be available at all

See chapter 4 for full network details.

<sup>1</sup> Please note Eurex Circular 60/2019 as well as Xetra Circular 48/2019 regarding the T7 Java GUI launch mechanism.

---



## 4 Disaster recovery network details

Due to the nature of the distributed T7 architecture, different interfaces will be configured in varying ways.

T7 interfaces whose production infrastructure is solely located in the Equinix data centre FR2 will switch to the simulation infrastructure and need to be accessed via simulation network addresses (i.e. ETI gateways).

Other T7 interfaces whose production infrastructure is distributed across both data centres will be able to continue to use the existing/remaining production infrastructure in the DR data centre (i.e. FIX gateways, multicast addresses).

### 4.1 T7 network details derivatives markets

#### 4.1.1 Eurex T7

The following tables summarize all available interface connection details in a disaster recovery scenario for the T7 derivatives market Eurex (XEUR).

Interface	Connection option	URL / IP addresses	IP subnets	Ports	Protocol
GUI Landingpage	Internet	<a href="http://webgui.eurexchange.com/emergency/index.html">http://webgui.eurexchange.com/emergency/index.html</a>		80	TCP/IP
	Leased line	<a href="http://193.29.93.173/emergency/index.html">http://193.29.93.173/emergency/index.html</a> <a href="http://webgui.vpn.eurexchange.com/emergency/fqdn.html">http://webgui.vpn.eurexchange.com/emergency/fqdn.html</a>		80 / 8089	TCP/IP
Java WebStart	Internet	193.29.90.190	-	80 / 443	TCP/IP
	Leased line	193.29.93.173	193.29.93.160/28	80 / 443	TCP/IP
GUI (Crypto)Proxies	Internet	193.29.90.235	193.29.90.224/27	80	TCP/IP
		193.29.90.236			
	Leased line - side A	193.29.89.225	193.29.89.224/28	80 / 8089	TCP/IP
Leased line - side B	193.29.95.225	193.29.95.224/28			
Eurex ETI	<b>Gateway type</b>	<b>IP addresses Side A</b>	<b>IP addresses Side B</b>	<b>Ports</b>	<b>Protocol</b>
	PS trading gateways	193.29.89.129 (active)	193.29.89.161 (stand-by)	19043	TCP/IP
		193.29.89.130 (active)	193.29.89.162 (stand-by)		
		193.29.89.154 (active)	193.29.89.187 (stand-by)		
LF trading gateways	193.29.89.65	193.29.89.97	19006	TCP/IP	
	193.29.89.66	193.29.89.98			
	193.29.89.67	193.29.89.99			
	193.29.89.68	193.29.89.100			

Table 1, Eurex T7 market network details in DR scenario, part 1/3

T7 Disaster Recovery Concept 2019  
Interface Configuration Details

16 September 2019

Page 7

Eurex FIX Gateway	Connection option	IP addresses	IP subnets	Ports	Protocol
	Leased line - side A	90.150.253.31	90.150.253.0 / 24	Individually assigned	TCP/IP
All Eurex T7 broadcast interfaces	Description	Rendezvous points	Ports		
	Rendezvous points Service A only	193.29.91.252/32	-		
	Technical heartbeat Service A only	-	59086		
Eurex MDI	Description	Multicast groups Service A	Ports		
	Multicast groups	224.0.50.64-65 224.0.50.67-74 224.0.29.72-76	US-allowed products	US-restricted products	
		59000	59032		
Source networks	193.29.89.192/28	-			
Eurex EMDI	Description	Multicast groups Service A	Ports		
	Multicast groups	224.0.50.2-9 224.0.50.12-63 224.0.29.2 - 55	US-allowed products	US-restricted products	
		Snapshot: 59000 Incremental: 59001	Snapshot: 59032 Incremental: 59033		
Source networks	193.29.89.0/27	-			
Eurex EOBI	Description	Multicast groups Service A	Ports		
	Multicast groups <sup>1</sup>	224.0.169.32-63 224.0.169.144-159 224.0.172.128-191	US-allowed products	US-restricted products	
		Snapshot: 59000 Incremental: 59001	Snapshot: 59032 Incremental: 59033		
Source networks	193.29.89.0/27	-			
<sup>1</sup> Multicast address range of EOBI is dedicated to Disaster Recovery Environment only (no re-use of production address range)					
Eurex Market Signals	Description	Multicast groups Service A	Ports		
	Reference Data	224.0.114.1	US-allowed products	US-restricted products	
	Eurex IOC liquidity Indicator for Options	224.0.114.128	59000	-	
	Intraday Volatility Forecast	224.0.114.132	59001	59033	
	Risk Alerts	224.0.114.134	59001	59033	
Source networks	193.29.89.0/27	-			
Eurex Extended Market Data Service (EMDS)	Description	Multicast groups Service A	Ports		
	Ticker Feed	224.0.50.75	US-allowed products	US-restricted products	
	Settlement prices	224.0.50.77	59000 Replay: 59001	59032 Replay: 59033	
	Intraday open interest data	224.0.50.78			
	Eurex T7 trades	224.0.50.79	Replay: 59001	Replay: 59033	
Source networks	193.29.89.192/28	-			

Table 2, Eurex T7 market network details in DR scenario, part 2/3

T7 Disaster Recovery Concept 2019  
Interface Configuration Details

16 September 2019

Page 8

Eurex RDI	Description	Multicast groups service A	Ports		
	Multicast groups	224.0.50.0	Snapshot: 59098		
	Multicast groups	224.0.50.1	Incremental: 59099		
	Source networks	193.29.89.192/28	-		
Common Report Engine	Connection option	Gateway IP address	IP subnets	Ports	
	Internet	193.29.90.132	-	Public	Particip.
	Leased line - side A	193.29.90.67	193.29.90.64/27	2221	2222

Table 3, Eurex T7 market network details in DR scenario, part 3/3

#### 4.1.2 EEX T7

The European Energy Exchange (EEX) market running on T7 shares infrastructure with Eurex T7. Therefore, IP addresses for GUI servers, ETI and FIX gateways will be the same as for Eurex T7.

EEX multicast addresses differ from Eurex T7, but follow the same logic (only A-side, source network from simulation)

Interface	Connection option	URL / IP addresses		Ports	Protocol
GUI Landingpage	Internet	<a href="http://webgui.eurexchange.com/emergency/eex/index.html">http://webgui.eurexchange.com/emergency/eex/index.html</a>		80	TCP/IP
	Leased line	<a href="http://193.29.93.173/emergency/eex/index.html">http://193.29.93.173/emergency/eex/index.html</a> <a href="http://webgui.vpn.eurexchange.com/emergency/eex/fqdn.html">http://webgui.vpn.eurexchange.com/emergency/eex/fqdn.html</a>		80 / 8089	TCP/IP
Java WebStart	Internet	193.29.90.190	-	80 / 443	TCP/IP
	Leased line	193.29.93.173	193.29.93.160/28	80 / 443	TCP/IP
GUI (Crypto)Proxies	Internet	193.29.90.235	193.29.90.224/27	80	TCP/IP
		193.29.90.236			
	Leased line - side A	193.29.89.225	193.29.89.224/28	80 / 8089	TCP/IP
Leased line - side B	193.29.95.225	193.29.95.224/28			
EEX ETI	Gateway type	IP addresses Side A	IP addresses Side B	Ports	Protocol
	LF trading gateways	193.29.89.65	193.29.89.97	19006	TCP/IP
		193.29.89.66	193.29.89.98		
		193.29.89.67	193.29.89.99		
193.29.89.68		193.29.89.100			
EEX FIX Gateway	Connection option	IP addresses	IP subnets	Ports	Protocol
	Leased line - side A	90.150.253.31	90.150.253.0 / 24	Individually assigned	TCP/IP

Table 4, EEX T7 market network details in DR scenario, part 1/2

**T7 Disaster Recovery Concept 2019**  
**Interface Configuration Details**

16 September 2019

Page 9

All Eurex T7 broadcast interfaces	Description	Rendezvous points	Ports		
	Rendezvous points Service A only	193.29.91.252/32	-		
Technical heartbeat Service A only	-	59086			
EEX MDI	Description	Multicast groups Service A	Ports		
			US-allowed products	US-restricted products	
	Multicast groups	224.0.50.66	59000	59032	
Source networks	193.29.89.192/28	-	-		
EEX EMDI	Description	Multicast groups Service A	Ports		
			US-allowed products	US-restricted products	
	Multicast groups	224.0.50.10 224.0.50.11	Snapshot: 59000 Incremental: 59001	Snapshot: 59032 Incremental: 59033	
Source networks	193.29.89.0/27	-	-		
EEX RDI	Description	Mutlicast groups service A	Ports		
			Multicast groups	224.0.29.0	Snapshot: 59098
	Multicast groups	224.0.29.1	Incremental: 59099		
Source networks	193.29.89.192/28	-			
Common Report Engine	Connection option	Gateway IP address	IP subnets	Ports	
				Public	Particip.
Internet	193.29.90.132	-			
Leased line - side A	193.29.90.67	193.29.90.64/27	2221	2222	

Table 5, EEX T7 market network details in DR scenario, part 2/2

## 4.2 T7 network details cash markets

### 4.2.1 Xetra T7

The following tables summarize all available interface connection details in a disaster recovery scenario for Xetra T7.

Interface	Connection option	URL / IP addresses		Ports	Protocol
GUI Landingpage	Internet	<a href="http://webgui.xetra.com/emergency/index.html">http://webgui.xetra.com/emergency/index.html</a>		80	TCP/IP
	Leased line	<a href="http://193.29.93.174/emergency/index.html">http://193.29.93.174/emergency/index.html</a>		80 / 8089	TCP/IP
		<a href="http://webgui.vpn.xetra.com/emergency/fqdn.html">http://webgui.vpn.xetra.com/emergency/fqdn.html</a>			
Java WebStart	Internet	193.29.90.189	-	80 / 443	TCP/IP
	Leased line	193.29.93.174	-	80 / 443	TCP/IP
GUI (Crypto)Proxies	Internet	193.29.90.233	193.29.90.224/27	80	TCP/IP
		193.29.90.234			
	Leased line - side A	193.29.94.225	193.29.94.224/29	80 / 8089	TCP/IP
Leased line - side B	193.29.94.233	193.29.94.232/29			
Xetra ETI	<b>Gateway type</b>	<b>IP subnets Side A</b>	<b>IP subnets Side B</b>	<b>Ports</b>	<b>Protocol</b>
	PS trading gateways	193.29.94.129 (active)	193.29.94.161 (stand-by)	19043	TCP/IP
		193.29.94.130 (active)	193.29.94.162 (stand-by)	19043	TCP/IP
LF trading gateways	193.29.94.65	193.29.94.97	19006	TCP/IP	
Xetra FIX Gateway	<b>Connection option</b>	<b>IP addresses</b>	<b>IP subnets</b>	<b>Ports</b>	<b>Protocol</b>
	Leased line - side A	90.152.253.41	90.152.253.0/24	Individually assigned	TCP/IP
All Xetra T7 broadcast interfaces	<b>Description</b>	<b>Rendezvous points</b>	<b>Ports</b>		
	Rendezvous points Service A only	185.102.253.252	-		
	Technical heartbeat Service A only	-	59086		
Xetra MDI	<b>Description</b>	<b>Multicast groups Service A</b>	<b>Ports</b>		
	Multicast groups	224.0.161.16 - 22	59000		
	Source networks	193.29.94.192/28	-		

Table 6, Cash market network details in DR scenario, part 1/2

T7 Disaster Recovery Concept 2019  
Interface Configuration Details

16 September 2019

Page 11

Xetra EMDI	Description	Multicast groups Service A	Ports		
	Multicast groups	224.0.160.0 - 63	Snapshot: 59000 Incremental: 59001		
	Source networks	193.29.94.0/27	-		
Xetra EOBI	Description	Multicast groups Service A	Ports		
	Multicast groups <sup>1</sup>	224.0.173.128-191	Snapshot: 59000 Incremental: 59001		
	Source networks	193.29.94.0/27	-		
<sup>1</sup> Multicast address range of EOBI is dedicated to Disaster Recovery Environment only (no re-use of production address range)					
Xetra Extended Market Data Service (EMDS)	Description	Multicast groups Service A	Ports		
	All Trade Prices (ATP)	224.0.161.64	59000 Replay: 59001		
	Ticker feed	224.0.161.31	59000		
	Source networks	193.29.94.192/28	-		
Xetra RDI	Description	Multicast groups service A	Ports		
	Multicast groups	224.0.161.0	Snapshot: 59098		
		224.0.161.0	Incremental: 59099		
	Source networks	193.29.94.192/28	-		
Common Report Engine	Connection option	Gateway IP address	IP subnets	Ports	
	Internet	193.29.90.132	-	Public	Particip.
	Leased line - side A	193.29.90.67	193.29.90.64/27	2221	2222

Table 7, Cash market network details in DR scenario, part 2/2

## 4.2.2 Xetra Vienna T7

The following tables summarize all available interface connection details in a disaster recovery scenario for Xetra Vienna T7

Interface	Connection option	URL / IP addresses		Ports	Protocol
GUI Landingpage	Internet	<a href="http://webgui.xetra.com/emergency/xvie/index.html">http://webgui.xetra.com/emergency/xvie/index.html</a>		80	TCP/IP
	Leased line	<a href="http://193.29.93.174/emergency/xvie/index.html">http://193.29.93.174/emergency/xvie/index.html</a> <a href="http://webgui.vpn.xetra.com/emergency/xvie/fqdn.html">http://webgui.vpn.xetra.com/emergency/xvie/fqdn.html</a>		80 / 8089	TCP/IP
Java WebStart	Internet	193.29.90.189	-	80 / 443	TCP/IP
	Leased line	193.29.93.174	-	80 / 443	TCP/IP
GUI (Crypto)Proxies	Internet	193.29.90.233	193.29.90.224/27	80	TCP/IP
		193.29.90.234			
	Leased line - side A	193.29.94.225	193.29.94.224/29	80 / 8089	TCP/IP
Leased line - side B	193.29.94.233	193.29.94.232/29			
Xetra ETI	<b>Gateway type</b>	<b>IP subnets Side A</b>	<b>IP subnets Side B</b>	<b>Ports</b>	<b>Protocol</b>
	Trading gateways (LF only)	193.29.94.65	193.29.94.97	19006	TCP/IP
Xetra FIX Gateway	<b>Connection option</b>	<b>IP addresses</b>	<b>IP subnets</b>	<b>Ports</b>	<b>Protocol</b>
	Leased line - side A	90.152.253.41	90.152.253.0/24	Individually assigned	TCP/IP
All Xetra T7 broadcast interfaces	<b>Description</b>	<b>Rendezvous points</b>	<b>Ports</b>		
	Rendezvous points Service A only	185.102.253.252	-		
	Technical heartbeat Service A only	-	59086		
Xetra MDI	<b>Description</b>	<b>Multicast groups Service A</b>	<b>Ports</b>		
	Multicast groups	224.0.161.32 - 36	59000		
	Source networks	193.29.94.192/28	-		

Table 8, Vienna cash market network details in DR scenario, part 1/2

T7 Disaster Recovery Concept 2019  
Interface Configuration Details

16 September 2019

Page 13

Xetra EMDI	Description	Multicast groups Service A	Ports
	Multicast groups	224.0.160.64 - 95	Snapshot: 59000 Incremental: 59001
Source networks	193.29.94.0/27	-	
Xetra EOBI	Description	Multicast groups Service A	Ports
	Multicast groups <sup>1</sup>	224.0.173.192-223	Snapshot: 59000 Incremental: 59001
Source networks	193.29.94.0/27	-	
<sup>1</sup> Multicast address range of EOBI is dedicated to Disaster Recovery Environment only (no re-use of production address range)			
Xetra Extended Market Data Service (EMDS)	Description	Multicast groups Service A	Ports
	All Trade Prices (ATP)	224.0.161.68	59000 Replay: 59001
	Ticker feed	224.0.161.39	59000
	Source networks	193.29.94.192/28	-
Xetra RDI	Description	Multicast groups service A	Ports
	Multicast groups	224.0.161.1	Snapshot: 59098
		224.0.161.1	Incremental: 59099
Source networks	193.29.94.192/28	-	

Table 9, Vienna cash market network details in DR scenario, part 2/2



T7 Disaster Recovery Concept 2019  
Interface Configuration Details

16 September 2019

Page 14

#### 4.2.3 Xetra Malta T7

The following tables summarize all available interface connection details in a disaster recovery scenario for Xetra Malta T7

Interface	Connection option	URL / IP addresses		Ports	Protocol
GUI Landingpage	Internet	<a href="http://webgui.xetra.com/emergency/xmal/index.html">http://webgui.xetra.com/emergency/xmal/index.html</a>		80	TCP/IP
	Leased line	<a href="http://193.29.93.174/emergency/xmal/index.html">http://193.29.93.174/emergency/xmal/index.html</a>		80 / 8089	TCP/IP
		<a href="http://webgui.vpn.xetra.com/emergency/xmal/fqdn.html">http://webgui.vpn.xetra.com/emergency/xmal/fqdn.html</a>			
Java WebStart	Internet	193.29.90.189	-	80 / 443	TCP/IP
	Leased line	193.29.93.174	-	80 / 443	TCP/IP
GUI (Crypto)Proxies	Internet	193.29.90.233	193.29.90.224/27	80	TCP/IP
		193.29.90.234			
	Leased line - side A	193.29.94.225	193.29.94.224/29	80 / 8089	TCP/IP
	Leased line - side B	193.29.94.233	193.29.94.232/29		
Xetra ETI	<b>Gateway type</b>	<b>IP subnets Side A</b>	<b>IP subnets Side B</b>	<b>Ports</b>	<b>Protocol</b>
	Trading gateways (LF only)	193.29.94.65	193.29.94.97	19006	TCP/IP
Xetra FIX Gateway	<b>Connection option</b>	<b>IP addresses</b>	<b>IP subnets</b>	<b>Ports</b>	<b>Protocol</b>
	Leased line - side A	90.152.253.41	90.152.253.0/24	Individually assigned	TCP/IP
All Xetra T7 broadcast interfaces	<b>Description</b>	<b>Rendezvous points</b>	<b>Ports</b>		
	Rendezvous points Service A only	185.102.253.252	-		
	Technical heartbeat Service A only	-	59086		
Xetra MDI	<b>Description</b>	<b>Multicast groups Service A</b>	<b>Ports</b>		
	Multicast groups	224.0.161.50-51	59000		
	Source networks	193.29.94.192/28	-		

Table 10, Malta cash market network details in DR scenario, part 1/2

T7 Disaster Recovery Concept 2019  
Interface Configuration Details

16 September 2019

Page 15

Xetra EMDI	Description	Multicast groups Service A	Ports		
	Multicast groups	224.0.160.114-115	Snapshot: 59000 Incremental: 59001		
	Source networks	193.29.94.0/27	-		
Xetra EOBI	Description	Multicast groups Service A	Ports		
	Multicast groups <sup>1</sup>	224.0.173.242-243	Snapshot: 59000 Incremental: 59001		
	Source networks	193.29.94.0/27	-		
<sup>1</sup> Multicast address range of EOBI is dedicated to Disaster Recovery Environment only (no re-use of production address range)					
Xetra Extended Market Data Service (EMDS)	Description	Multicast groups Service A	Ports		
	All Trade Prices (ATP)	224.0.161.77	59000 Replay: 59001		
	Source networks	193.29.94.192/28	-		
Xetra RDI	Description	Multicast groups service A	Ports		
	Multicast groups	224.0.161.8	Snapshot: 59098		
		224.0.161.8	Incremental: 59099		
Source networks	193.29.94.192/28	-			
Common Report Engine	Connection option	Gateway IP address	IP subnets	Ports	
	Internet	193.29.90.132	-	2221	2222
	Leased line - side A	193.29.90.67	193.29.90.64/27		

Table 11, Malta cash market network details in DR scenario, part 2/2

T7 Disaster Recovery Concept 2019  
Interface Configuration Details

16 September 2019

Page 16

## 4.2.4 Xetra Bulgaria T7

The following tables summarize all available interface connection details in a disaster recovery scenario for Xetra Bulgaria T7

Interface	Connection option	URL / IP addresses		Ports	Protocol
GUI Landingpage	Internet	<a href="http://webgui.xetra.com/emergency/xbul/index.html">http://webgui.xetra.com/emergency/xbul/index.html</a>		80	TCP/IP
	Leased line	<a href="http://193.29.93.174/emergency/xbul/index.html">http://193.29.93.174/emergency/xbul/index.html</a>		80 / 8089	TCP/IP
		<a href="http://webgui.vpn.xetra.com/emergency/xbul/fqdn.html">http://webgui.vpn.xetra.com/emergency/xbul/fqdn.html</a>			
Java WebStart	Internet	193.29.90.189	-	80 / 443	TCP/IP
	Leased line	193.29.93.174	-	80 / 443	TCP/IP
GUI (Crypto) Proxies	Internet	193.29.90.233	193.29.90.224/27	80	TCP/IP
		193.29.90.234			
	Leased line - side A	193.29.94.225	193.29.94.224/29	80 / 8089	TCP/IP
	Leased line - side B	193.29.94.233	193.29.94.232/29		
Xetra ETI	<b>Gateway type</b>	<b>IP subnets Side A</b>	<b>IP subnets Side B</b>	<b>Ports</b>	<b>Protocol</b>
	Trading gateways (LF only)	193.29.94.65	193.29.94.97	19006	TCP/IP
Xetra FIX Gateway	<b>Connection option</b>	<b>IP addresses</b>	<b>IP subnets</b>	<b>Ports</b>	<b>Protocol</b>
	Leased line - side A	90.152.253.41	90.152.253.0/24	Individually assigned	TCP/IP
All Xetra T7 broadcast interfaces	<b>Description</b>	<b>Rendezvous points</b>	<b>Ports</b>		
	Rendezvous points Service A only	185.102.253.252	-		
	Technical heartbeat Service A only	-	59086		
Xetra MDI	<b>Description</b>	<b>Multicast groups Service A</b>	<b>Ports</b>		
	Multicast groups	224.0.161.48	59000		
	Source networks	193.29.94.192/28	-		

Table 12, Bulgaria cash market network details in DR scenario, part 1/2

T7 Disaster Recovery Concept 2019  
Interface Configuration Details

16 September 2019

Page 17

Xetra EMDI	Description	Multicast groups Service A	Ports		
	Multicast groups	224.0.160.112-113	Snapshot: 59000 Incremental: 59001		
Source networks	193.29.94.0/27	-			
Xetra EOBI	Description	Multicast groups Service A	Ports		
	Multicast groups <sup>1</sup>	224.0.173.240-241	Snapshot: 59000 Incremental: 59001		
Source networks	193.29.94.0/27	-			
<sup>1</sup> Multicast address range of EOBI is dedicated to Disaster Recovery Environment only (no re-use of production address range)					
Xetra Extended Market Data Service (EMDS)	Description	Multicast groups Service A	Ports		
	All Trade Prices (ATP)	224.0.161.76	59000 Replay: 59001		
	Ticker feed	224.0.161.49	59000		
	Source networks	193.29.94.192/28	-		
Xetra RDI	Description	Multicast groups service A	Ports		
	Multicast groups	224.0.161.7	Snapshot: 59098		
		224.0.161.7	Incremental: 59099		
Source networks	193.29.94.192/28	-			
Common Report Engine	Connection option	Gateway IP address	IP subnets	Ports	
	Internet	193.29.90.132	-	Public	Particip.
	Leased line - side A	193.29.90.67	193.29.90.64/27	2221	2222

Table 13, Bulgaria cash market network details in DR scenario, part 1/2

## 5 Disaster recovery test scope

Disaster recovery test exercises will be performed once a year on a weekend (usually Saturday). DR test exercises have been aligned with the yearly FIA business continuity test (see <https://bcp.fia.org>). Participation in the DR test exercise is optional but highly recommended for all trading and clearing participants to ensure easy transition in case of a real disaster.

During a DR test exercise, production reference data will be used, including User IDs, T7 GUI SSH keys and ETI sessions. Changes done to these reference data will not be copied back to production after the test. It is not advised to perform any changes to this data during the test exercise.

Any order book or trading information created during the DR test exercise will not be transferred back to production.

The scope of DR test exercises is as follows:

The following T7 interfaces will be available during the DR test exercise

- Enhanced Transaction Solution (ETI)
- T7 Market Data Service (MDI)
- T7 Enhanced Market Data Service (EMDI)
- T7 Enhanced Order Book Interface (EOBI)<sup>1</sup>
- T7 GUI
- Reference Data Interface (RDI)
- Reference Data File (RDF)
- Common Report Engine (CRE)

Customers participating in the DR test exercise can

- receive market data via MDI, EMDI, EOBI and T7 GUI
- read reference data via RDI
- receive Reference Data File (RDF) - provided by CTS on request
- enter orders and quotes via ETI and T7 GUI
- access CRE

The following T7 interfaces will not be available during the DR test exercise

- FIX Gateway
- Extended Market Data Service
- Market Signals (MS)

The Xetra classic trading system and the Clearing systems C7 and CCP are not participating in the DR test exercise. No data generated during a DR test exercise is forwarded to any Clearing system.

<sup>1</sup> T7 EOBI will be offered for the first time via WAN connection using dedicated DR address ranges for customers already receiving EOBI in Co-Location

---

## 6 Change log

The change log describes on a higher level, what changed in the latest version of the document over older versions.

No	Chapter, page	Date	Change
1.0.0		27 Sept 2013	Initial version the Eurex Exchange's T7 Disaster Recovery Concept
2.0.0	All	25 July 2016	Added EOBI, EMDS and Eurex Market Signals
3.1.1	All	31 August 2017	Change to common document including T7 cash markets and EEX
4.0	All	29 August 2018	Adhere to T7 Release 6.1 (e.g. Partition Specific Gateway, etc...), added Introduction
2019	All	15 Aug 2019	Adhere to T7 Release 7.1 (e.g. deletion of Connection GWs), added additional IP for Xetra Partition Specific Gateway, added EOBI addresses, added Partner Exchanges