

## **Eurex Clearing C7**

## **Eurex Clearing FIXML Interface**

Interface Specification

Volume 3: Transaction & Position Confirmation

Document version C7 Release 8.0

- Simulation valid from 20 September 2021
- Production valid from 22 November 2021



## **Change History**

| Date              | Ver.  | Change  |
|-------------------|-------|---|
| 28 February 2014  | 1.0.0 | - Initial version for C7 Release 1.0  |
| 10 June 2014      | 1.1.0 | Promote simulation version to production version  |
|                   |       | <ul> <li>Additional agent accounts have been renamed "flexible accounts (additional agent<br/>accounts)"</li> </ul>   |
|                   |       | <ul> <li>Correction: SideTradeID (1506) in the Trade Confirmation TradeCaptureReport can be<br/>present pursuant adjustments (was: is never present).</li> </ul>                  |
| 26 September 2014 | 1.2.0 | New: Collateral reporting messages (new chapter 4)  |
|                   |       | Editorial changes:  |
|                   |       | - Wholesale/OTC facilities have been re-branded Eurex Trade Entry Services  |
|                   |       | <ul> <li>Harmonization with Clearing Conditions: Multilateral trades are only available for Block<br/>Trades</li> </ul>   |
| 29 October 2014   | 2.0   | - Promoted C7 Release 1.0 version to 2.0  |
|                   |       | - Enhancements for off-book trades:   |
|                   |       | - Technical 30 minute time limit for approval has been removed.   |
|                   |       | <ul> <li>Entry of counterparty trader subgroup is now optional for bilateral trades.</li> </ul>   |
| 19 December 2014  | 3.0   | - Initial version for C7 Release 3.0  |
|                   |       | <ul> <li>Former Volume 3 has been split into new Volumes 3 (this document), 7 Collateral<br/>Messages, and 8 Off-Book Trade Capture.</li> </ul>                                   |
| 11 June 2015      | 3.1   | - Promoted preliminary version to simulation version.   |
|                   |       | <ul> <li>Typo corrections.</li> </ul>   |
|                   |       | - Preliminary variance futures trades not available for transaction adjustments.  |
| 24 September 2015 | 3.2   | <ul> <li>StrikePrice only displays relevant decimals (was: has always 6 decimals)</li> </ul>  |
|                   |       | <ul> <li>Transaction Confirmation: Removed TradeAllocIndicator=2</li> </ul>   |
|                   |       | <ul> <li>Transaction Confirmation: Added RootPartyRoles 7 and 36 for on-behalf and<br/>simplified outsourcing actions</li> </ul>  |
|                   |       | - 3.3.1: TradeMatchID contains parent approval ID for flexible contracts  |
|                   |       | - 3.3.3: Added clarification on automatic give-up ("G2" trades) handling  |
|                   |       | <ul> <li>Position Update Confirmation: PartyRoles 7 and/or 36 are also filled for on-behalf<br/>actions by Eurex and simplified outsourcing activities, as applicable.</li> </ul> |
| 18 November 2015  | 3.3   | <ul> <li>Set all TrdRegTimestamp fields to optionally present; fields are not applicable after<br/>Average Price Merge.</li> </ul>  |
|                   |       | - 3.3.1: Typo correction: <i>TradeLinkID</i> has tag 820, not 880.  |
| 18 March 2016     | 3.4   | - Promoted simulation to production version, no change of content.  |
| 28 July 2016      | 3.5   | - Simulation version for Release 3.1  |
|                   |       | - Removed SettlDetails group from transaction confirmation TradeCaptureReport layout  |
|                   |       | <ul> <li>Removed references to Eurex Classic regarding Eurex TES</li> </ul>   |
|                   |       | - 3.3.14: Preliminary priced trades are now adjustable  |



| Date  | Ver. | Change  |
|---|------|---|
|   |      | <ul> <li>Appendix: Removed user-defined fields and values not in use anymore, added new<br/>user-defined values as required.</li> </ul>               |
| 17 October 2016   | 3.6  | - Production version for Release 3.1  |
|   |      | <ul> <li>4.2.1: Added missing value 129=Automatic Close-out</li> </ul>  |
| 6 April 2017  | 3.7  | <ul> <li>New field values TradeType 1004 and TransferReason 018 for transaction based<br/>settlement</li> </ul>                                       |
| 8 May 2017  | 4.0  | - Initial version for C7 Release 4.0  |
| 04 December 2017  | 4.1  | - Promoted Simulation to Production Version, no change of content   |
| 15 January 2018   | 4.2  | <ul> <li>Change of Production Version into Simulation Version Release 4.0 and content<br/>changes:</li> </ul>   |
|   |      | - New Trade Type 63 in chapter 3.3.6  |
|   |      | - New TransferReason 131 for technical trade (technical transaction) in chapter 3.3.10  |
|   |      | <ul> <li>Additional new comment in chapter 3.2 that TrdRegTimestampType = 1 (Execution<br/>Time) will not be provided for technical trades</li> </ul> |
|   |      | - FIX website address has changed (chapter 1.6)   |
| 7 May 2018  4.3  — The changes in the position update confirmati functionality via FIXML. |      | The changes in the position update confirmation regarding the introduction of Abandon functionality via FIXML.  |
| 30.July 2018  | 4.4  | - Cancel support for special characters for text fields due to security concerns  |
|   |      | <ul> <li>Introduction of new transaction type 133 for corporate action adjustments via price<br/>corrections.</li> </ul>                              |
| 10 September 2018   | 4.5  | - Introduce new fields in the broadcast structure for Basket Total Return Futures.  |
|   |      | - Include new transaction type 132 for Decomposition  |
|   |      | - Add new trade type for Enlight Triggered Trade  |
| 28 January 2019   | 4.6  | - Add valid value for SID, TID, EnteringFirm and LastMkt for ECC  |
|   |      | - Add OrderID for TES trades  |
| 26 August 2019  | 4.7  | - remove TrdType "1003"   |
|   |      | - add TradePublishIndicator for Off-book trades   |
|   |      | - add product type Inter Product Spreads (ch. 3.3.14)   |
| 04 February 2020  | 4.8  | - add TrdType "1007" for "Block QTPIP Trade"  |
|   |      | - add description on PackageID and FirmTrdID for Equity Bespoke Basket Trades   |

| Date                     | Release | Change   |
|--------------------------|---------|--|
| 26 May 2020              | 7.0     | - adapt comment for preliminary prices - add chapter 3.3.6 for CustOrderHandlingInst |
| 03 December 2020         | 7.0.1   | - add TrdType "1008" for Compression Trades  |
| 25 January 2021 7.1 - ad |         | - add MaturityDate for regular contracts (2.2; 3.2)                                  |





| Date         | Release | Change                       |
|--------------|---------|------------------------------|
| 28 June 2021 | 8.0     | No update for release C7 8.0 |



#### © Eurex Frankfurt AG 2021

Deutsche Börse AG ("DBAG"), Clearstream Banking AG ("Clearstream"), Eurex Frankfurt AG ("Eurex"), Eurex Clearing AG ("Eurex Clearing"), Eurex Securities Transactions Services GmbH ("Eurex STS") and Eurex Repo GmbH ("Eurex Repo") are corporate entities and are registered under German law. Eurex Global Derivatives AG is a corporate entity and is registered under Swiss law. Clearstream Banking S.A. is a corporate entity and is registered under Luxembourg law. Eurex Frankfurt AG is the administrating and operating institution of Eurex Deutschland. Eurex Deutschland is in the following referred to as the "Eurex Exchange".

All intellectual property, proprietary and other rights and interests in this publication and the subject matter hereof (other than certain trademarks and service marks listed below) are owned by DBAG or its affiliates and subsidiaries or used under authorization by their respective owners, including, without limitation, all patent, registered design, copyright, trademark and service mark rights. While reasonable care has been taken in the preparation of this publication to provide details that are accurate and not misleading at the time of publication DBAG, Clearstream, Eurex, Eurex Clearing, Eurex Repo as well as the Eurex Exchange and their respective subsidiaries, servants and agents (a) do not make any representations or warranties regarding the information contained herein, whether express or implied, including without limitation any implied warranty of merchantability or fitness for a particular purpose or any warranty with respect to the accuracy, correctness, quality, completeness or timeliness of such information, and (b) shall not be responsible or liable for any third party's use of any information contained herein under any circumstances, including, without limitation, in connection with actual trading or otherwise or for any errors or omissions contained in this publication.

This publication is published for information purposes only and shall not constitute investment advice respectively does not constitute an offer, solicitation or recommendation to acquire or dispose of any investment or to engage in any other transaction. This publication is not intended for solicitation purposes but only for use as general information. All descriptions, examples and calculations contained in this publication are for illustrative purposes only.

Eurex and Eurex Clearing offer services directly to members of the Eurex Exchange respectively to clearing members of Eurex Clearing. Those who desire to trade any products available on the Eurex market or who desire to offer and sell any such products to others or who desire to possess a clearing license of Eurex Clearing in order to participate in the clearing process provided by Eurex Clearing, should consider legal and regulatory requirements of those jurisdictions relevant to them, as well as the risks associated with such products, before doing so.

Only Eurex derivatives that are CFTC-approved may be traded via direct access in the United States or by United States persons. A complete, up-to-date list of Eurex derivatives that are CFTC-approved is available at: <a href="https://www.eurex.com/ex-en/rules-regs/eurex-derivatives-us">https://www.eurex.com/ex-en/rules-regs/eurex-derivatives-us</a>.

In addition, Eurex representatives and participants may familiarize U.S. Qualified Institutional Buyers (QIBs) and broker-dealers with certain eligible Eurex equity options and equity index options pursuant to the terms of the SEC's July 1, 2013 Class No-Action Relief. A complete, up-to-date list of Eurex options that are eligible under the SEC Class No-Action Relief is available at: <a href="https://www.eurex.com/ex-en/rules-regs/eurex-derivatives-us/eurex-options-in-the-us-for-eligible-customers">https://www.eurex.com/ex-en/rules-regs/eurex-derivatives-us/eurex-options-in-the-us-for-eligible-customers</a>. Lastly, U.S. QIBs and broker-dealers trading on behalf of QIBs may trade certain single-security futures and narrow-based security index futures subject to terms and conditions of the SEC's Exchange Act Release No. 60,194 (June 30, 2009), 74 Fed. Reg. 32,200 (July 7, 2009) and the CFTC's Division of Clearing and Intermediary Oversight Advisory Concerning the Offer and Sale of Foreign Security Futures Products to Customers Located in the United States (June 8, 2010).

#### **Trademarks and Service Marks**

Buxl®, DAX®, DivDAX®, eb.rexx®, Eurex®, Eurex Repo®, Eurex Strategy WizardSM, Euro GC Pooling®, FDAX®, FWB®, GC Pooling®, GCPl®, MDAX®, ODAX®, SDAX®, TecDAX®, USD GC Pooling®, VDAX®, VDAX-NEW® and Xetra® are registered trademarks of DBAG or its affiliates and subsidiaries. All MSCI indexes are service marks and the exclusive property of MSCI Barra. ATX®, ATX® five, CECE® and RDX® are registered trademarks of Vienna Stock Exchange AG. IPD® UK Quarterly Indexes are registered trademarks of Investment Property Databank Ltd. IPD and have been licensed for the use by Eurex for derivatives. SLI®, SMI® and SMIM® are registered trademarks of SIX Swiss Exchange AG. The STOXX® indexes, the data included therein and the trademarks used in the index names are the intellectual property of STOXX Limited and/or its licensors. Eurex derivatives based on the STOXX® indexes are in no way sponsored, endorsed, sold or promoted by STOXX and its licensors and neither STOXX nor its licensors shall have any liability with respect thereto. PCS® and Property Claim Services® are registered trademarks of ISO Services, Inc. Korea Exchange, KRX, KOSPI and KOSPI 200 are registered trademarks of Korea Exchange Inc. The names of other companies and third party products may be trademarks or service marks of their respective owners.

Eurex Deutschland qualifies as manufacturer of packaged retail and insurance-based investment products (PRIIPs) under Regulation (EU) No 1286/2014 on key information documents for packaged retail and insurance-based investment products (PRIIPs Regulation), and provides key information documents (KIDs) covering PRIIPs traded on Eurex Deutschland on its website under the following link: <a href="https://www.eurex.com/ex-en/rules-regs/priips-kids">https://www.eurex.com/ex-en/rules-regs/priips-kids</a>.

In addition, according to Art. 14(1) PRIIPs Regulation the person advising on, or selling, a PRIIP shall provide the KID to retail investors free of charge.

## **Table of Contents**

| 1                | Introduction  |    |
|------------------|---|----|
| 1.1              | Intended audience                                       |    |
| 1.2              | Eurex Clearing FIXML Interface documentation            |    |
| 1.3              | Valid values for FIXML fields                           | 8  |
| 1.4              | FIX version   | 8  |
| 2                | Common elements   |    |
| 2.1              | Standard header   |    |
| 2.2              | Instrument component                                    |    |
| 2.3              | Common field usage                                      |    |
| 2.3.1            | RptID/RptRefID: Transaction ID                          |    |
| 2.3.2            | Timestamps  |    |
| 3                | Transaction confirmation                                | 11 |
| 3.1              | Transaction confirmation message flow                   | 11 |
| 3.2              | Transaction confirmation broadcast message structure    |    |
| 3.3              | Field usage   |    |
| 3.3.1            | Transaction and trade IDs                               |    |
| 3.3.2            | Position accounts                                       |    |
| 3.3.3            | TradeAllocIndicator                                     |    |
| 3.3.4            | TradeReportTransType & TradeReportType                  |    |
| 3.3.5            | Text fields   |    |
| 3.3.6            | CustOrderHandlingInst                                   |    |
| 3.3.7            | TrdType   |    |
| 3.3.8            | TrdCapRptSideGrp & TradePostionQty                      |    |
| 3.3.9            | OrderID, CIOrdID  |    |
| 3.3.10           | OrdType and OrderCategory                               |    |
| 3.3.11           | TransferReason  |    |
| 3.3.12           | PackageID   |    |
| 3.3.13           | FirmTradeID   |    |
| 3.3.14           | RelatedPositionGrp                                      |    |
| 3.3.15           | RelatedInstrumentGrp                                    |    |
| 3.3.16           | Reversals/busts   |    |
| 3.3.17           | Handling of trades with preliminary & final price       |    |
| 3.3.18           | Transaction based settlement                            |    |
| 4                | Position update confirmation                            |    |
| 4.1              | Position update confirmation message structure          |    |
| 4.1              | Field usage   |    |
| <b>4.2</b> 4.2.1 | Transfer Reason   |    |
| 4.2.1            | PositionID  |    |
| 4.2.2            | Position conversion for flexible contracts              |    |
| 4.2.3            | Message structure matrix                                |    |
| 4.2.4            | 5   |    |
| 5                | Appendix – dictionary of user-defined fields and values |    |
| 5.1              | User-defined fields                                     | _  |
| 5.2              | User-defined values                                     |    |
| 5.3              | User-defined use of fields/components                   |    |
| 5.4              | Omitted fields  | 33 |

#### 1 Introduction

The Eurex Clearing FIXML Interface provides Eurex and ECC Members with a highly flexible, standards-compliant and cost-effective way to enter, access and modify their clearing data. Based upon and compliant to the widely used FIX (Financial Information eXchange) standard, the interface allows Members to choose and deploy their own operating systems and access interfaces. The transport layer is AMQP (Advanced Message Queuing Protocol)/WebSphere MQ, the syntax is FIXML.

Note: The market launch of the new features may not necessarily be the same as the release date. The individual dates will be announced in separate Eurex Clearing circulars.

#### 1.1 Intended audience

This document is intended for system designers and programmers who wish to develop/adapt their client application to interact with the services offered by the Eurex Clearing FIXML Interface. It assumes that readers have a basic understanding of FIXML.

## 1.2 Eurex Clearing FIXML Interface documentation

The Eurex Clearing FIXML Interface documentation is organized as follows:

- Volume 1: Overview
- Volume 3: Transaction & Position Confirmation (this document)
- Volume 4: Transaction & Position Maintenance
- Volume 5: Public Broadcasts
- Volume 6: Message Samples

All documents are available for download on Eurex Clearing website <a href="www.eurex.com/ec-en/">www.eurex.com/ec-en/</a> under the following path:

Support > Initiatives & Releases > C7 Releases > related release > System documentation > Interfaces

## 1.3 Eurex Clearing Messaging Interfaces – Connectivity documentation

The Eurex Clearing FIXML Interface, Eurex Clearing FpML Interfaces and Margin Calculator share common connectivity documents for AMQP and WebSphere MQ:

- A: Overview
- B: AMQP Programming Guide
- . E: AMQP Setup and Internals

All "Eurex Clearing Messaging Interfaces – Connectivity" documents are available for download on Eurex Clearing website <a href="https://www.eurex.com/ec-en/">www.eurex.com/ec-en/</a> under the following path:

Support > Initiatives & Releases > C7 Releases > related release > System documentation > Interfaces

#### Conventions used in this document

**Cross references** to other chapters within this document are always clickable, but not marked separately.

|         |         |      | _     |          |       |             |          |
|---------|---------|------|-------|----------|-------|-------------|----------|
| Eurex C | learing | C7 – | Eurex | Clearing | FIXML | Interface - | Volume 3 |

As of June 28, 2021

#### Hyperlinks to websites are underlined.

Changes applied to this document after the last version has been published (other than grammar/spelling corrections) are marked with a change bar in the left margin as demonstrated in this paragraph. Old change bars will be removed from version to version.

#### 1.4 Valid values for FIXML fields

The message structures printed below contain valid values for the FIXML fields described. Please note that the respective column is only filled if the list of valid values is limited. Whenever the column is empty for a given field, all values specified by the FIXML standard may be used.

#### 1.5 FIX version

The Eurex Clearing FIXML Interface follows **FIX Version 5.0 SP2** with Extension Packs. In a few instances, additional valid values have been specified. To learn more about the standard, visit the FIX Protocol's website at:

https://www.fixtrading.org/standards/fix-5-0-sp-2/

The latest FIX version with extensions is available at <a href="https://fixtrading.org/packages/latest-fiximate">https://fixtrading.org/packages/latest-fiximate</a>.

## 2 Common elements

A few elements are included in all messages and are always structured in the same way. In order to enhance readability of this document, these groups are not printed in every message layout, but are referenced only.

Where a group differs from the standard layout, it is printed in its entirety.

#### 2.1 Standard header

The header element is required on all private FIXML messages; it contains the following attributes:

| FIX | (ML Name | Field Name     | FIX<br>Tag | Req'd | Remark/Example   |
|-----|----------|----------------|------------|-------|--|
| Hd  | r        | StandardHeader | -          |       |  |
| :   | SID      | SenderCompID   | 49         | Υ     | 'ECAG' or 'ECC' for outbound messages (Eurex/ECC→Member)                           |
|     | TID      | TargetCompID   | 56         | Υ     | 'ECAG' or 'ECC' for inbound messages, Member ID (e.g. ABCFR or ABCEX) for outbound |
| ;   | Snt      | SendingTime    | 52         | Υ     | Timestamp, e.g. 2010-12-27T10:46:09.080+00:00                                      |
| ;   | SSub     | SenderSubID    | 50         | (Y)   | e.g. BOM001, TRD001  Required for all inbound messages (Member → Eurex/ECC)        |

## 2.2 Instrument component

The standard instrument component has the following structure:

|    |           |                   | Description | Valid Values/Sample  | Pres                                       | ent fo     | or |             |             |
|----|-----------|-------------------|-------------|--|--|------------|----|-------------|-------------|
| F  | IXML Name | Field Name        | FIX<br>Tag  |  |  | Std<br>Fut |    | Flex<br>Fut | Flex<br>Opt |
| li | nstrmt    | Instrument        | -           |  |  |            |    |             |             |
|    | Sym       | Symbol            | 55          | Product ID   | FGBL                                       | Υ          | Υ  | Υ           | Υ           |
|    | ProdCmplx | ProductComplex    | 1227        | Flex contract ID   | OD8X                                       | N          | N  | Υ           | Υ           |
|    | MatDt     | MaturityDate      | 541         | Maturity date for flexible and regular contracts, YYYY-MM-DD | 2015-04-03                                 | Υ          | Υ  | Υ           | Υ           |
|    | MMY       | MaturityMonthYear | 200         | Maturity for regular contracts, YYYYMM                       | 201512                                     | Υ          | Υ  | N           | N           |
|    | StrkPx    | StrikePrice       | 202         | Contains the strike price                                    | 40.52                                      | N          | Υ  | N           | Υ           |
|    | OptAt     | OptAttribute      | 206         | Version of an option series                                  | 0  | N          | Υ  | N           | Υ           |
|    | PutCall   | PutOrCall         | 201         | Indicates if option is a Put or Call                         | 0=Put, 1=Call                              | N          | Υ  | N           | Υ           |
|    | SettlMeth | SettlMethod       | 1193        | Indicates settlement method for flexible contracts           | C=Cash Settlement<br>P=Physical Settlement | N          | N  | Υ           | Υ           |
| _  | ExerStyle | ExerciseStyle     | 1194        | Indicates exercise style for flexible contracts              | 0=European<br>1=American                   | N          | N  | N           | Υ           |

Empty fields are never sent, i.e. an instrument group for futures will never contain *StrikePrice*, *OptAttribute* and *PutOrCall*.

## 2.3 Common field usage

#### 2.3.1 RptID/RptRefID: Transaction ID

The unique transaction ID is contained in *TradeReportID* (tag 571) in the transaction confirmation broadcast and will be referenced via *TradeReportRefID* (572) in all transaction adjustments. The ID is variable length alphanumeric string with up to 29 characters, where the initial (up to) 19 characters represent the transaction ID and the last 10 digits represent the suffix, which increases with each adjustment. Note that the suffix is always numeric. The ID is globally unique across the clearing system, will not be changed for the lifetime of the transaction and will not be re-issued¹.

#### 2.3.2 Timestamps

The Eurex Clearing FIXML Interface uses the following timestamp fields:

- SendingTime (52)
- LastUpdateTime (779)
- TrdRegTimestamp (769)
- SideTrdRegTimestamp (1012)

All timestamps are expressed in local time and carry a **Time Zone Designator**, i.e. the offset towards UTC in hours and minutes. Note that the T7 and C7 system time is UTC.

The format of the timestamps is YYYY-MM-DDTHH:MM:SS.sssTZD, e.g. 2016-12-27T10:46:09.080+00:00.

Eurex Clearing FIXML Interface Specification – Volume 3: Transaction & Position Confirmation


<sup>&</sup>lt;sup>1</sup>In the foreseeable future, i.e. until all possible combinations for the 19 char alphanumeric string have been used.

#### 3 Transaction confirmation

The Eurex Clearing FIXML Interface sends a *TradeCaptureReport* message via the transaction confirmation broadcast stream to all affected parties once a transaction has been booked and whenever a transaction is changed. Please refer to Volume 4 for a detailed description of transaction adjustments and the corresponding message layouts. Transaction confirmation messages are sent in the following events:

- Transaction Reporting (trade has matched on the trading layer and gets reported in the Clearing System or an Off-book/Flexible Trade has been approved and gets reported)
- Trade Reversal
- Transaction Adjustments (see Volume 4)
  - Transaction Separation
  - Open/Close Adjustment
  - Account Transfer
  - Transaction Adjustment
  - Average Pricing/De-merge
  - Give-Up/Take-Up process completed

## 3.1 Transaction confirmation message flow



**Note:** Due to asynchronous processing, broadcast messages may not appear in chronological order on the member queues.

#### 3.2 Transaction confirmation broadcast message structure

The transaction confirmation message contains the fields listed below. Please note that the message structure depends on the product (option/futures) reported therein.

| FIXML Name | Field/Component Name | Valid Values | FIX<br>Tag | Presence | Fut/Opt | Remarks                  |
|------------|----------------------|--------------|------------|----------|---------|--------------------------|
| TrdCaptRpt |                      | -            | -          |          |         |                          |
| RotID      | TradeReportID        |              | 571        | Α        | В       | Transaction ID See 3.3.1 |

| FIXML Name       | Field/Component Name   | Valid Values   | FIX<br>Tag | Presence | Fut/Opt | Remarks   |
|------------------|------------------------|--|------------|----------|---------|---|
| TransTyp         | TradeReportTransType   | 0=New<br>4=Reverse   | 487        | А        | В       | See 3.3.4   |
| RptTyp           | TradeReportType        | 0=Submit<br>1=Alleged<br>6=Trade Report<br>Cancel                                  | 856        | A        | В       | Adjustment indicator, 0=not adjusted, 6=adjusted. 1=preliminary trade See 3.3.4   |
| TrdPubInd        | TradePublishIndicator  | 2=Deferred<br>Publication<br>3= Published  | 1390       | Ο        | В       | Only present for Off-book trades.   |
| TrdTyp           | TrdType                | <see 3.3.7=""></see>   | 828        | Α        | В       |   |
| TrdHandlInst     | TradeHandlingInstr     | 0=Trade Confirmation   | 1123       | Α        | В       |   |
| OrigTrdHandlInst | OrigTradeHandlingInstr | 3=One-Party Report<br>for Pass Through<br>7=Third Party Report<br>for Pass Through | 1124       | 0        | В       | Only sent for Off-book Trades.  |
| TrnsfrRsn        | TransferReason         |  | 830        | Α        | В       | See 3.3.11  |
| <u>PackageID</u> | <u>PackageID</u>       |  | 2489       | 0        | В       | Only present for transactions being part<br>of a basket (e.g. Basket Trades of Equity<br>Total Return Futures or Equity Bespoke<br>Basket Trades)<br>See 3.3.12           |
| FirmTrdID        | FirmTradeID            |  | 1041       | 0        | В       | Only present for transactions being part of a basket (e.g. Basket Trades of Equity Total Return Futures or Equity Bespoke Basket Trades) See 3.3.13                       |
| TotNumTrdRpts    | TotNumTradeReports     |  | 748        | Ο        | В       | Contains the total amount of transaction confirmation messages for multi-leg trades (both Off-book and regular). For single-leg trades, this field will never be present. |
| RptRefID         | TradeReportRefID       |  | 572        | 0        | В       | Parent Suffix ID, only present pursuant adjustments. See 3.3.1  |
| MtchID           | TrdMatchID             |  | 880        | 0        | В       | See 3.3.1   |
| LastQty          | LastQty                |  | 32         | Α        | В       |   |
| LastPx           | LastPx                 |  | 31         | Α        | В       |   |
| Ссу              | Currency               |  | 15         | Α        | В       |   |
| LastMkt          | LastMkt                | XEUR=Eurex,<br>XEEE=ECC or ECC<br>partner exchange                                 | 30         | Α        | В       |   |

|               |     |             | ,                        | Always present, <b>O</b> ptiona | lly prese  | nt ↓     | ↓ F     | Present for Futures, Options or Both  |
|---------------|-----|-------------|--------------------------|---------------------------------|------------|----------|---------|---|
|               | FIX | ML Name     | Field/Component Name     | Valid Values                    | FIX<br>Tag | Presence | Fut/Opt | Remarks   |
| _             | Т   | rdDt        | TradeDate                |                                 | 75         | Α        | В       | Trade date; used as basis for transaction duration calculation  |
|               | В   | sizDt       | ClearingBusinessDate     |                                 | 715        | Α        | В       |   |
|               | Ν   | //LegRptTyp | MultiLegReportingType    | 1, 2                            | 442        | Α        | В       |   |
|               | L   | astUpdateTm | LastUpdateTime           |                                 | 779        | Α        | В       |   |
|               | F   | ldr         | Standard Header, see 2.1 |                                 |            | Α        |         |   |
|               | P   | Pty         | RootParties              | -                               | -          |          |         |   |
| Clg.Mbr.      |     | ID          | RootPartyID              |                                 | 1117       | Α        | В       | Clearing Member ID  |
| O             |     | R           | RootPartyRole            | 4=Clearing Firm                 | 1119       | Α        | В       |   |
|               | F   | Pty         | RootParties              | _                               | -          |          |         |   |
| Exc.Mbr       |     | ID          | RootPartyID              |                                 | 1117       | Α        | В       | Exchange Member ID  |
| Ш             |     | R           | RootPartyRole            | 1=Executing Firm                | 1119       | Α        | В       |   |
|               | F   | Pty         | RootParties              | -                               | -          |          |         |   |
| Account       |     | ID          | RootPartyID              |                                 | 1117       | Α        | В       | Account Number, see 3.3.2   |
| ∢             |     | R           | RootPartyRole            | 38=Position Account             | 1119       | Α        | В       |   |
|               | F   | Pty         | RootParties              | _                               | -          |          |         |   |
| Orig.Trader   |     | ID          | RootPartyID              |                                 | 1117       | 0        | В       | Contains the full original trader ID, e.g. ABCFRTRD001. Does not change pursuant adjustments. Not present pursuant give-up/take-up and average price merge. |
|               | _   | R           | RootPartyRole            | 11=Order Origination<br>Trader  | 1119       | 0        | В       |   |
|               | P   | Pty         | RootParties              | -                               | -          |          |         |   |
| User          |     | ID          | RootPartyID              |                                 | 1117       | 0        | В       | Subgroup+User No., e.g. CLR123  |
|               |     | R           | RootPartyRole            | 12=Executing Trader             | 1119       | 0        | В       |   |
|               | F   | Pty         | RootParties              | _                               | -          |          |         |   |
| Entering Firm |     | ID          | RootPartyID              |                                 | 1117       | 0        | В       | Contains entering firm for simplified outsourcing. Contains Eurex ID ("ECAG") or ECC ID ("ECC") in case of on-behalf actions by Eurex or ECC.               |
|               |     | R           | RootPartyRole            | 7=Entering Firm                 | 1119       | 0        | В       |   |
|               | F   | Pty         | RootParties              | -                               | -          |          |         |   |
| Entering User |     | ID          | RootPartyID              |                                 | 1117       | 0        | В       | Contains entering user for simplified outsourcing via GUI   |
| En            | _   | R           | RootPartyRole            | 36=Entering Trader              | 1119       | 0        | В       |   |

Always present, Optionally present  $\downarrow \quad \downarrow$  Present for Futures, Options or Both

| _           |      |           |                      |  |            |          | ·       | <u> </u>   |
|-------------|------|-----------|----------------------|--|------------|----------|---------|--|
|             | FIXN | /IL Name  | Field/Component Name | Valid Values                               | FIX<br>Tag | Presence | Fut/Opt | Remarks  |
|             | Pt   | у         | RootParties          | -  | _          |          |         |  |
| KRX Mbr     |      | ID        | RootPartyID          |  | 1117       | 0        | В       | Member ID for KRX cooperation product trades.  |
| 호           |      | R         | RootPartyRole        | 13=Order Origination Firm                  | 1119       | 0        | В       |  |
|             | Pt   | у         | RootParties          | -  | -          |          |         |  |
| Beneficiary |      | ID        | RootPartyID          |  | 1117       | 0        | В       | Beneficiary ID for cooperation product trades, e.g. KRX.                                   |
| ш           |      | R         | RootPartyRole        | 32=Beneficiary                             | 1119       | 0        | В       |  |
| Mbr.        | Pt   | У         | RootParties          | -  | _          |          |         | Only present for transaction confirmation messages booking a transaction pursuant take-up. |
| GU Exc.Mbr. |      | ID        | RootPartyID          |  | 1117       | 0        | В       | Give-up Exchange Member ID   |
| ษ           |      | R         | RootPartyRole        | 95=Give-up (Trading)<br>Firm               | 1119       | 0        | В       |  |
| Abr.        | Pt   | У         | RootParties          | -  | -          |          |         | Present for give-up transactions and pursuant successful give-up/take-up workflow          |
| TUExc.Mbr.  |      | ID        | RootPartyID          |  | 1117       | 0        | В       | Take-up Exchange Member ID   |
| F           |      | R         | RootPartyRole        | 96=Take-up (Trading)<br>Firm               | 1119       | 0        | В       |  |
|             | Ins  | strmt     | Instrument           | -  | -          |          |         |  |
|             |      | Sym       | Symbol               |  | 55         | Α        | В       |  |
|             |      | ProdCmplx | ProductComplex       |  | 1227       | 0        | В       | Flexible contract ID, e.g. OD8X. Always present for flexible contracts.                    |
|             |      | MatDt     | MaturityDate         |  | 541        | Α        | В       | Maturity date, always present for flexible and regular contracts.                          |
|             |      | MMY       | MaturityMonthYear    |  | 200        | 0        | В       | YYYYMM   |
|             |      | StrkPx    | StrikePrice          |  | 202        | 0        | 0       | Always present for options contracts   |
|             |      | OptAt     | OptAttribute         |  | 206        | 0        | 0       | Version of an options series, always present for options.                                  |
|             |      | SettlMeth | SettlMethod          | C=Cash settlement<br>P=Physical settlement | 1193       | 0        | В       | Settlement method for flexible contracts. Always present for flexible contracts.           |
|             |      | ExerStyle | ExerciseStyle        | 0=European<br>1=American                   | 1194       | 0        | 0       | Exercise style, only applicable to flexible options.                                       |
|             |      | PutCall   | PutOrCall            |  | 201        | 0        | 0       | Always present for options contracts   |
|             |      | CpnRt     | CouponRate           |  | 223        | 0        | F       | Only present for EFS Trades  |

|             | <u> </u>             | Always present, Optiona     | my prese   | ······   | <b>↓</b> ' | Present for Futures, Options of Both                                     |
|-------------|----------------------|-----------------------------|------------|----------|------------|--|
| FIXML Name  | Field/Component Name | Valid Values                | FIX<br>Tag | Presence | Fut/Opt    | Remarks  |
| Evnt        | EvntGrp              | _                           | _          | -        |            |  |
| EventTyp    | EventType            | 9=Swap End Date             | 865        | 0        | F          | Only present for EFS trades  |
| Dt          | EventDate            |                             | 866        | 0        | F          | Only present for EFS trades  |
| Amt         | PositionAmountData   | -                           | -          |          |            |  |
| Тур         | PosAmtType           | PREM                        | 707        | 0        | 0          | Only present for options contracts                                       |
| Amt         | PosAmt               |                             | 708        | 0        | 0          | Only present for options contracts                                       |
| Amt         | PositionAmountData   | -                           | -          |          |            |  |
| Тур         | PosAmtType           | CRES                        | 707        | 0        | В          | Contains the residual pursuant average price merge (if applicable)       |
| Amt         | PosAmt               |                             | 708        | 0        | В          | price merge (ii applicable)  |
| TrdRegTS    | TrdRegTimestamps     | -                           | -          |          |            |  |
| TS          | TrdRegTimestamp      |                             | 769        | 0        | В          | Original trade date and time.  |
| Тур         | TrdRegTimestampType  | 1=Execution Time            | 770        | 0        | В          | Not provided for TrdType (828) = 63 (technical trade)                    |
| TrdRegTS    | TrdRegTimestamps     | _                           | -          |          |            |  |
| TS          | TrdRegTimestamp      |                             | 769        | 0        | В          | Time when the transaction arrived on the clearing layer                  |
| Тур         | TrdRegTimestampType  | 2=Time In                   | 770        | 0        | В          | cicaling layer   |
| TrdRegTS    | TrdRegTimestamps     | -                           | -          |          |            |  |
| TS          | TrdRegTimestamp      |                             | 769        | 0        | В          | Time when the transaction was successfully booked on the clearing layer. |
| Тур         | TrdRegTimestampType  | 7=Submission to<br>Clearing | 770        | 0        | В          | successfully booked on the cleaning layer.                               |
| RptSide     | TrdCapRptSideGrp     | _                           | -          |          |            |  |
| Side        | Side                 | 1=Buy, 2=Sell               | 54         | Α        | В          |  |
| TrdID       | SideTradeID          |                             | 1506       | 0        | В          | See 3.3.1  |
| PosEfct     | PositionEffect       | O=Open, C=Close             | 77         | Α        | В          | Open/Close Indicator   |
| PosEfctActn | PositionEffectAction | 1=Opposite position opened  | 29001      | 0        | В          | Indicates a closing error.   |
| Txt1        | FreeText1            | See 3.3.5                   | 25007      | 0        | В          |  |
| Txt2        | FreeText2            | See 3.3.5                   | 25008      | 0        | В          |  |
| Txt3        | FreeText3            | See 3.3.5                   | 25009      | 0        | В          | See 3.3.5  |
| GUTxt1      | GiveUpFreeText1      |                             | 25010      | 0        | В          |  |
| GUTxt2      | GiveUpFreeText2      |                             | 25011      | 0        | В          |  |

|     |                |                         |                                  |            |          |         | <u> </u>  |
|-----|----------------|-------------------------|----------------------------------|------------|----------|---------|---|
| FIX | ML Name        | Field/Component Name    | Valid Values                     | FIX<br>Tag | Presence | Fut/Opt | Remarks   |
|     | GUTxt3         | GiveUpFreeText3         |                                  | 25012      | 0        | В       |   |
|     | Allocind       | TradeAllocIndicator     | 0, 5                             | 826        | Α        | В       | See 3.3.3   |
|     | AgrsrInd       | AggressorIndicator      | Y, N                             | 1057       | 0        | В       | Always present for on-exchange trades.  |
|     | OrdCat         | OrderCategory           | 1=Order, 2=Quote                 | 1115       | 0        | В       |   |
|     | StrategyLinkID | StrategyLinkID          |                                  | 1851       | 0        | В       | Present for strategy trades or compression trades only. Can be used to link the individual legs of a multi-leg strategy, both on-exchange and off-book or to link the compression trades of the same compression run. |
|     | CustOrdHdlInst | CustOrderHandlingInst   | See 3.3.6                        | 1031       | 0        | В       | Contains the rate identifier  |
|     | Clrd           | ClearedIndicator        | 4=Cleared with preliminary price | 1832       | 0        | F       | Indicates that the transaction has a preliminary price  |
|     | TrdRegTS       | SideTrdRegTS            | -                                | -          |          |         |   |
|     | TS             | SideTrdRegTimestamp     |                                  | 1012       | 0        | В       | Priority time stamp, as contained in Eurex T7 ETI field 21008 <i>TrdRegTSTimePriority</i>   |
|     | Тур            | SideTrdRegTimestampType | 8=Time priority                  | 1013       | 0        | В       | , ,   |
|     | Qty            | TradePositionQty        | -                                | -          | Α        | В       | See 3.3.8   |
|     | Тур            | PosType                 | ALC=Allocation Trade<br>Qty      | 703        | Α        | В       |   |
|     | Long           | LongQty                 |                                  | 704        | Α        | В       |   |
|     | Short          | ShortQty                |                                  | 705        | Α        | В       |   |
|     | Qty            | TradePositionQty        | -                                | -          | Α        | В       | See 3.3.8   |
|     | Тур            | PosType                 | PA=Adjustment Qty                | 703        | Α        | В       |   |
|     | Long           | LongQty                 |                                  | 704        | Α        | В       |   |
|     | Short          | ShortQty                |                                  | 705        | Α        | В       |   |
|     | Qty            | TradePositionQty        | -                                | -          | Α        | В       | See 3.3.8   |
|     | Тур            | PosType                 | TOT=Total<br>Transaction Qty     | 703        | Α        | В       |   |
|     | Long           | LongQty                 |                                  | 704        | Α        | В       |   |
|     | Short          | ShortQty                |                                  | 705        | Α        | В       |   |
|     | TrdRptOrdDetl  | TradeReportOrderDetail  | -                                | -          |          |         |   |
|     | OrdID          | OrderID                 |                                  | 37         | 0        | В       | Contains the T7 order number for on exchange trades and the TesTradeSideID for TES trades   |
|     | ClOrdID        | ClOrdID                 |                                  | 11         | 0        | В       | CIOrdID from T7 FIX/ETI interfaces  |
|     | OrdTyp         | OrdType                 | 1=Market, 2=Limit                | 40         | 0        | В       |   |

|      |              |                         | Aiways present, Optional  | ny proce   |          | ψ. | resent for ratares, Options of Both  |
|------|--------------|-------------------------|---|------------|----------|----|--|
| FIXM | L Name       | Field/Component Name    | Valid Values  | FIX<br>Tag | Bresence |    | Remarks  |
|      | OrdStat      | OrdStatus               | 1=Partially filled<br>2=Filled  | 39         | 39 O     |    |  |
|      | OrdQty       | OrderQtyData            | -   | -          |          |    |  |
|      | Qty          | OrderQty                |   | 38         | 0        | В  | Contains the total order quantity  |
|      | ReltdInstrmt | RelatedInstrumentGrp    | -   | -          |          |    |  |
|      | InstrmtTyp   | RelatedInstrumentType   | 103=Instrument of multileg order  | 1648       | 0        | В  |  |
|      | Sym          | RelatedSymbol           |   | 1649       | 0        | В  |  |
|      | ProdCmplx    | RelatedProductComplex   | 2=Standard Option<br>Strategy 3=Non-Standard<br>Option Strategy 4=Volatility Strategy 5=Futures Spread 6=Inter Product<br>Spread 7=Standard Futures<br>Strategy 8=Packs and Bundles 9=Strip | 28587      | 0        | В  | Contains the T7 strategy type  |
|      | SecTyp       | RelatedSecurityType     | MLEG  | 1652       | 0        | В  |  |
|      | SubTyp       | RelatedSecuritySubType  |   | 29010      | 0        | В  | See 3.3.15   |
| F    | ReltdTrd     | RelatedTradeGrp         | -   | -          |          |    |  |
|      | ID           | RelatedTradeID          |   | 1856       | 0        | В  | Contains the transaction ID of the average priced transaction. Only sent in inverse booking messages for transactions pursuant average price merge and de-merge. |
|      | Src          | RelatedTradeIDSource    | 3=TradeReportID   | 1857       | 0        | В  |  |
| F    | ReltdPos     | RelatedPositionGrp      | _   | -          |          |    |  |
|      | ID           | RelatedPositionID       |   | 1862       | Α        | В  | See 3.3.14   |
|      | Src          | RelatedPositionIDSource | 3=PositionID  | 1863       | Α        | В  |  |

Always present, Optionally present ↓ ↓ Present for Futures, Options or Both

#### <del>-</del>

3.3

This section provides additional explanations about how particular fields are used in the transaction confirmation *TradeCaptureReport* messages.

## 3.3.1 Transaction and trade IDs

Field usage

The key identifier for any transaction in the C7 system is the transaction ID. Additionally, the transaction confirmation *TradeCaptureReport* messages contain ID fields to allow Members to reconcile against the trading layer:

- TradeReportID (571) contains the unique transaction ID. The ID is variable length
  alphanumeric string with up to 29 characters, where the initial (up to) 19 characters
  represent the transaction ID and the last 10 digits represent the suffix, which increases with
  each adjustment. Note that the suffix is always numeric. The ID is globally unique across the
  clearing system, will not be changed for the lifetime of the transaction and will not be reissued<sup>2</sup>.
- Pursuant adjustments, the unique transaction ID is referenced in TradeReportRefID (572).
- TrdMatchID (880) contains the T7 Trade ID.
- SideTradeID (1506) contains the T7 "Trade Item ID".
- RelatedTradeID (1856) is present in the reversal messages for the original transactions
  pursuant average price merge, it contains the transaction ID of the new, average priced
  transaction. It is also present in the message reinstating the original transactions after a demerge, referencing the de-merged transaction.

Note that trade and trade item IDs on T7 are unique per day, product, and for either on-exchange or off-book (TES) trades. Members wishing to reconcile their T7 trade confirmation with their C7 transaction confirmation messages may therefore need to take *TrdType* (828)<sup>3</sup> into consideration.

#### 3.3.2 Position accounts

Valid accounts (=valid values for the field *RootPartyID* (*RootPartyRole=38*) in the group) are A1-A9, M1, M2, P1, P2, and (additional) agent account IDs as set by the Member. Extended agent account names can be 20 characters long (uppercase), special characters and spaces are not allowed. The following names are reserved by the system and may not be used: G# (#=0-9), P# (#=0, 3-9), M# (#=0, 3-9), PP, CLIENT, and HOUSE. Account availability is limited by the status of Members (and their clearers).

#### 3.3.3 TradeAllocIndicator

TradeAllocIndicator (826) is always present.

- "0=Allocation not required" is sent when the transaction is not currently part of an allocation process.
- "5=Allocation to claim account" is sent to the give-up side pursuant successful take-up. The take-up side receives "0" pursuant take-up.

Automatic give-up trades are processed in two steps. First, the system books the trade to account A1 or P1, as applicable. The respective transaction confirmation *TradeCaptureReport* message is formatted and sent. Note that the message will contain the Take-Up (Trading) Firm as entered on the trading layer in the *RootParties* group with *RootPartyRole=96*. In a second step, the system will automatically trigger a give-up process. Note that this request may fail, e.g. if the entitlement validations are not passed successfully. Once the give-up process has been initiated successfully, the system will send *AllocationReport* messages via the workflow broadcast (see Volume 4 for details).

<sup>&</sup>lt;sup>2</sup>In the foreseeable future, i.e. until all possible combinations for the 19 char alphanumeric string have been used.

<sup>&</sup>lt;sup>3</sup>Trades in one product on one business day in either *TrdType=0* or any of the other applicable *TrdTypes* receive unique *TrdMatchID* (880) and *SideTradeIDs* (1506) from T7. This does not affect the globally unique C7 transaction ID, as contained in the *TradeReportID* (571).

### 3.3.4 TradeReportTransType & TradeReportType

The following table displays the combinations of *TradeReportTransType* (487) and *TradeReportType* (856) for the messages sent via the transaction confirmation broadcast:

| Event  | TradeReportTransType (487) | TradeReportType (856) |
|--|----------------------------|-----------------------|
| Transaction confirmation: new trade reported                             | 0=New                      | 0=Submit              |
| Trade bust (trade reversal by Eurex)                                     | 4=Reverse                  | 6=Trade Report Cancel |
| Reversal of original transaction after successful transaction adjustment | 4=Reverse                  | 6=Trade Report Cancel |
| New transaction after successful transaction adjustment                  | 0=New                      | 0=Submit              |
| New transaction due to successful take-up (to take-up side)              | 0=New                      | 0=Submit              |
| Reversed transaction due to successful take-up (to give-up side)         | 4=Reverse                  | 6=Trade Report Cancel |
| Reporting of a trade with preliminary price (3.3.17)                     | 0=New                      | 1=Alleged             |

#### 3.3.5 Text fields

The – user-defined – text fields *FreeText1*, *FreeText2* and *FreeText3* are mapped as follows to other clearing and trading interfaces:

| FIXML<br>Interface Text | Text Fields in other Interfaces |  |           |                   |                                |                                |  |  |  |  |
|-------------------------|---------------------------------|--|-----------|-------------------|--------------------------------|--------------------------------|--|--|--|--|
| Field                   | C7 Derivatives<br>Clearing GUI  | vatives GUI T7 Eurex Trader T7 Enhanced T7 Eurex FIX Trading Interface (ETI) |           |                   | C7 XML Reports<br>(e.g. CB012) | T7 XML Reports<br>(e.g. TC545) |  |  |  |  |
| FreeText1               | Text 1                          | Text1  | FreeText1 | FreeText1 (25007) | Text1                          | freeText1                      |  |  |  |  |
| FreeText2               | Text 2                          | Text2  | FreeText2 | FreeText2 (25008) | Text2                          | freeText2                      |  |  |  |  |
| FreeText3               | Text 3                          | Text3  | FreeText3 | FreeText3 (25009) | Text3                          | freeText3                      |  |  |  |  |

Text fields can hold 36 characters each. The exclamation mark (!), the pipe symbol (|), double quotes ("), single quotes ('), apostrophe (`), ampersand (&), equal sign (=), at sign (@), plus (+), lower than (<) and larger than (>) are not allowed.

GiveUpFreeText1-3 are only sent pursuant successful give-up/take-up and contain the values proposed by the give-up Member to the take-up side during the workflow. Note that these values are for information/reference only, FreeText1-3 contain the actual value(s) for the record.

#### 3.3.6 CustOrderHandlingInst

CustOrderHandlingInst contains the Execution Source Code in accordance to the FIA guidelines and aims to clearly identify the execution method used for Exchange Traded Derivative trades at point of origin.

The original field values as provided by T7 cannot be adjusted in C7, i.e. field is reporting only.

T7 allows the following valid values for Eurex agent accounts at the point of execution:

| FIXML Value | Description   |
|-------------|---|
| W           | Desk  |
| Y           | Electronic  |
| С           | Vendor-provided Platform (billed by Execution Broker) |

| G | Sponsored Access (via Exchange API or FIX provided by Execution Broker) |
|---|---|
| н | Premium Algorithmic Trading Provider (billed by Execution Broker)       |
| D | Other (including Other-'provided screen); Default                       |

#### 3.3.7 TrdType

*TrdType* (828) contains the trade type. The following mapping applies between FIXML values and Eurex trade types:

| FIXML Value                         | Eurex Trade Type                 |
|-------------------------------------|----------------------------------|
| 0 – Regular Trade                   | <br><br><br><br><br><br><br><br> |
| 1 – OTC Block Trade                 | O – Block Trade                  |
| 12 - Exchange for Swap (EFS)        | W – EFS Trade                    |
| 51 – Volume Weighted Average Price  | A – Average Price                |
| 54 – OTC                            | F – Flexible Contract Trade      |
| 55 – Exchange Basis Facility        | B – Basis Trade                  |
| 63 – Technical Trade                | D – Technical Transaction        |
| 1000 – Vola Trade                   | V – Vola Trade                   |
| 1001 – EFP-Fin Trade                | P – EFP-Fin Trade                |
| 1002 – EFP-Index-Futures Trade      | N – EFP-Index-Futures Trade      |
| 1004 - Transaction based Settlement | N/A                              |
| 1006 - Enlight Triggered Trade      | L – Enlight Triggered Trade      |
| 1007 – Block QTPIP Trade            | Q – Block QTPIP Trade            |
| 1008 – Compression Trade            | K – Compression Trade            |

#### 3.3.8 TrdCapRptSideGrp & TradePostionQty

The buy/sell side of the reported transaction is determined by the *Side* field in the *TrdRptSideGrp*, the total amount is contained in *LastQty* (32). The *TradePositionQty* components specify position changes on the long and short side:

- Long/Short positions designated for give-up<sup>4</sup> or partial transfer are identified by *PosType* (703)=ALC
- Current Long/Short (=delta) quantities are identified by PosTyp (703)=PA
   Contains the change to the total position. Both LongQty (704) and ShortQty (705) are
   always present, can contain negative values and both fields can be different from zero. For
   regular transactions, usually one side contains a value greater than zero and the respective
   other field is filled with '0'. For transactions changing both sides (e.g. closing errors),

<sup>&</sup>lt;sup>4</sup>Note that this only applies to currently active give-up processes. When an automatic give-up trade is first reported, the respective give-up process has not started yet and the quantity is technically not yet designated. See 3.3.3 for the booking/processing logic.

LastQty displays the total amount and both LongQty and ShortQty are filled.

Text adjustments, transaction separations, and average price merge/de-merge actions are reported position-neutral, i.e. both *LongQty* (704) and *ShortQty* (705) of *PosType* PA are '0' for reversal and new record.

Total current Long/Short balances are identified by PosType (703)=TOT

#### 3.3.9 OrderID, CIOrdID

*OrderID* (37) contains the original order ID assigned by the trading layer. For TES trades it contains the TesTradeSideID.

*ClOrdID* (11) optionally contains the Client Order ID received from the trading layer (if the order was entered with a *ClOrdID*).

#### 3.3.10 OrdType and OrderCategory

OrderCategory (1115) reports if the trade resulted from an order ('1') or a quote ('2'). For OrdCat=1, OrdType (40) defines further if the order was a market ('1') or limit ('2') order.

#### 3.3.11 TransferReason

*TransferReason* (830) contains the Eurex-internal transaction type, which is also displayed on the Derivatives Clearing GUI:

| Value | Meaning                                  |
|-------|--|
| 000   | Trade                                    |
| 002   | Transaction Open/Close Adjustment        |
| 004   | Transaction Account Transfer             |
| 005   | Transaction Adjustment                   |
| 006   | Transaction Separation                   |
| 007   | Trade Reversal                           |
| 010   | Transaction with Closing Error           |
| 011   | Average Pricing                          |
| 012   | De-Merge                                 |
| 013   | Final Price Adjustment                   |
| 018   | Transaction based Settlement             |
| 020   | Give-up                                  |
| 030   | Take-up                                  |
| 035   | Take-Up with Closing Error               |
| 040   | Off-Book Trade                           |
| 042   | Off-Book Trade with Closing Error        |
| 131   | Technical Transaction                    |
| 132   | Decomposition                            |
| 133   | Price Correction Due To Corporate Action |

## 3.3.12 PackageID

Each Basket trade has a unique id, which is referred as basket id in functional terms. In the Trade Capture Report, Basket ID is present in the field PackageID. A separate Trade Capture Report is sent for each transaction of a basket trade and each transaction of the basket trade has the same PackageID. It is present at the root level in Trade Capture Report. PackageID is a numeric field with length up to 20.

#### 3.3.13 FirmTradeID

Trading participants can enter own internal information related to the Basket trades. This information is present in the field FirmTradeID of the Trade Capture Report. This is a private information of a participant and cannot be seen by the counter party. FirmTradeID is a free text field, which can be up to 20 characters in length. It has the same restriction as the text fields, exclamation mark (!), the pipe symbol (|), double quotes ("), single quotes ('), apostrophe (`), ampersand (&), equal sign (=), at sign (@), plus (+), lower than (<) and larger than (>) are not allowed.

#### 3.3.14 RelatedPositionGrp

The *RelatedPositionGrp* is included for regulatory reporting. *RelatedPositionID* (1862) contains a unique, variable-length, alphanumeric position identifier, which is up to 11 characters long. Each transaction in the same instrument and account is booked to the position ID established when the first such transaction is reported. Note that a position amount of "0" (e.g. due to exercise) does not delete the position ID. Once additional transactions in the same instrument are booked to the account (i.e. the amount is greater than 0 again) the same position ID will be referenced.

For further information on the usage of the *RelatedPositionID*, please refer to the EMIR reporting documentation available in the member section under <a href="https://member.eurexclearing.com/">https://member.eurexclearing.com/</a> → Clearing Resources → EMIR Reporting

#### 3.3.15 RelatedInstrumentGrp

The RelatedInstrumentGrp contains information about the strategy type, where applicable. RelatedProductComplex (28587) contains the general strategy type, RelatedSecuritySubType (29010) contains further detail on the strategy, e.g. the color for packs and bundles (RelatedProductComplex=8) and the product type for Inter Product Spreads. Note that the FIXML Clearing Interface hands on values received from the trading venue, i.e. for T7 trades RelatedSecuritySubType is filled with the strategy types as defined in the "Products and instruments" list available on the Eurex website under <a href="http://www.eurexchange.com">http://www.eurexchange.com</a>  $\rightarrow$  Tech  $\rightarrow$  T7 Trading architecture  $\rightarrow$  Documents  $\rightarrow$  Products and instruments

#### 3.3.16 Reversals/busts

If a transaction becomes subject to mistrade reversal by Eurex or EEX Market Supervision, C7 will reverse the transaction and all adjustments that have been applied to the same. Note that mistrade reversals can only occur for transactions that originated on the current business day. Should the transaction in question be part of any pending adjustment/workflow, such as give-up/take-up, this workflow will be cancelled by the system.

If one, or multiple, transactions to be reversed are part of an average priced transaction (i.e. they have been merged), the merged transaction is de-merged before the (mistrade) reversal is performed.

The following transaction adjustments will be considered during reversal processing:

Average pricing

- Transaction adjustment (to adjust text fields, member/beneficiary information for cooperation products, and the rate identifier)
- · Account transfer
- O/C adjustment
- Transaction separation
- Give-up/take-up

If transaction adjustment activities  $A \rightarrow B \rightarrow C \rightarrow D$  have been performed before a transaction becomes subject to mistrade reversal, first adjustment D will be reversed, then  $C \rightarrow B \rightarrow A$ . All reversals are reported via TradeCaptureReport messages on the transaction confirmation broadcast. The TradeReportTransType (487) is 4=Reverse, the TradeReportType (856) is 6=Trade Report Cancel, the suffix is increased for each reversal. Consequently, reversed transactions are not adjustable. Note that the final reversal, which reverses the original transaction that became a mistrade, will reference the original parent suffix and TransferReason (830) 007, making it distinguishable from a regular inverse booking.

During reversal processing, closing errors might occur when insufficient open position is available.

#### 3.3.17 Handling of trades with preliminary & final price

Trades in products with preliminary and final prices are reported in both preliminary and final state on C7. Once the trade price is final, the preliminary trade is automatically inverse booked and the trade is re-booked with the final price. Both preliminary and final priced transactions are available for transaction adjustments, with one exception: preliminary priced trades are not available for average pricing.

|  | TradeReportID<br>(571) | TradeReportRefID<br>(572) | TradeReportType<br>(856) | TransferReason<br>(830) | LastPx (31) | Account:<br>RootPartyID<br>(1117) with<br>RootPartyRole<br>(1119) = 38 | ClearedIndicato<br>r (1832)         | OrderID<br>(37)         |
|--|------------------------|---------------------------|--------------------------|-------------------------|-------------|--|-------------------------------------|-------------------------|
| Initial preliminary transaction                                | 12340000000000         | -                         | 1=Alleged                | 000                     | 120         | A1   | 4=Cleared with<br>Preliminary Price | 9873216540<br>321456987 |
| Transaction account transfer                                   | 12340000000001         | 12340000000000            | 6=Trade Report<br>Cancel | 004                     | 120         | A1   | 4=Cleared with<br>Preliminary Price | 9873216540<br>321456987 |
| Transaction account transfer                                   | 12340000000002         | 12340000000000            | 1=Alleged                | 004                     | 120         | EXY  | 4=Cleared with<br>Preliminary Price | 9873216540<br>321456987 |
| Final price arrives  | from the trading I     | ayer                      |                          |                         |             |  |                                     |                         |
| Automatic Inverse<br>booking for<br>preliminary<br>transaction | 12340000000003         | <b>1234</b> 0000000002    | 6=Trade Report<br>Cancel | 013                     | 120         | EXY  | 4=Cleared with<br>Preliminary Price | 9873216540<br>321456987 |
| Rebooking with final price                                     | 12340000000004         | <b>1234</b> 0000000002    | 0=Submit                 | 013                     | 135         | EXY  | -                                   | 9873216540<br>321456987 |

OrderID can be used for reconciliation with the trading layer.

#### 3.3.18 Transaction based settlement

C7 supports transaction-based settlement of futures-on-futures. Settlement of the respective contracts is handled on transaction, rather than position basis. Consequently, each individual transaction settles into an individual transaction in the underlying futures contract. The transaction ID issued upon transaction creation survives settlement; the records for booking out the basis futures and booking in the underlying futures receive suffixes under the same base ID.

Booking in/out under transaction based settlement is marked with *TransferReason (830)=*"018". The *TradeType (828)* of the underlying futures record is set to "1004".

Note that transaction-based settlement leads to the dissemination of transaction confirmation messages, rather than position update messages.

|   | TradeReportID (571)         | TradeReportRefID(572)      | TradeReportType (856)              | Transfer<br>Reason<br>(830) | TradeType<br>(828) | Symbol<br>(55) |
|---|-----------------------------|----------------------------|------------------------------------|-----------------------------|--------------------|----------------|
| Transaction based settlement (in this sample, transaction adjustr | nent actions on the basis f | utures record have increas | ed the suffix prior to settlement) |                             |                    |                |
| Booking out of basis futures                                      | 12340000000005              | 12340000000004             | 6=Trade Report Cancel              | 018                         | 0                  | FES1           |
| Booking in of underlying futures                                  | 12340000000006              | 12340000000004             | 0=Submit                           | 018                         | 1004               | FESX           |

## 4 Position update confirmation

The Eurex Clearing FIXML Interface sends a *PositionMaintenanceReport* message via the trade confirmation broadcast stream to all affected parties once a position has been updated. Position update confirmation messages are sent for the following events:

- Position Close-out (Manual/Automatic)/Re-open
- Internal Position Transfer
- External Position Transfer (by Clearing House)
- External Position Transfer with/without Cash Amount
- Exercise (Manual/Automatic)
- Exercise Adjustment
- Abandon
- Assignment
- Position Adjustment Due to Capital Adjustment
- Notification
- Notification Adjustment
- Allocation
- Futures Position Creation
- Clearing House Transfer
- Position Conversion

## 4.1 Position update confirmation message structure

The *PositionMaintenanceReport* message used to convey position update information contains the fields listed below:

Always present, **O**ptionally present ↓

| F | XML Name | Field/Component Name | Valid Values                        | FIX<br>Tag | Presence | Remarks                          |
|---|----------|----------------------|-------------------------------------|------------|----------|----------------------------------|
| Ρ | osMntRpt |                      | _                                   | -          | -        |                                  |
|   | RptID    | PosMaintRptID        |                                     | 721        | Α        | Unique ID, 29 alphanumeric chars |
|   | TxnTyp   | PosTransType         | 1=Exercise                          | 709        | Α        |                                  |
|   |          |                      | 2=Do Not Exercise                   |            |          |                                  |
|   |          |                      | 1000=Internal Transfer <sup>1</sup> |            |          |                                  |
|   |          |                      | 1001=Transfer of Firm <sup>1</sup>  |            |          |                                  |
|   |          |                      | 1002=External Transfer <sup>1</sup> |            |          |                                  |
|   |          |                      | 1003=Corporate Action <sup>1</sup>  |            |          |                                  |
|   |          |                      | 1004=Notification <sup>1</sup>      |            |          |                                  |
|   |          |                      | 1005=Position Creation <sup>1</sup> |            |          |                                  |
|   |          |                      | 1006=Close-out <sup>1</sup>         |            |          |                                  |
|   |          |                      | 1007=Re-open <sup>1</sup>           |            |          |                                  |
|   |          |                      |                                     |            |          |                                  |

Always present, Optionally present  $\downarrow$ 

|                  |                          | Always present, O         | pliorially preser | iit ↓    |   |
|------------------|--------------------------|---------------------------|-------------------|----------|---|
| FIXML Name       | Field/Component Name     | Valid Values              | FIX<br>Tag        | Presence | Remarks   |
| Actn             | PosMaintAction           | 1=New                     | 712               | Α        |   |
| Stat             | PosMaintStatus           | 3=Completed               | 722               | Α        |   |
| TrnsfrRsn        | TransferReason           |                           | 830 <sup>2</sup>  | Α        | See 4.2.1   |
| <u>PackageID</u> | <u>PackageID</u>         |                           | 2489              | 0        | Present for positions of a basket (e.g.<br>Basket Equity Total Return Futures or<br>Equity Bespoke Basket Trades) |
| BizDt            | ClearingBusinessDate     |                           | 715               | Α        |   |
| Ссу              | Currency                 |                           | 15                | Α        |   |
| TxnTm            | TransactTime             |                           | 60                | Α        |   |
| Txt1             | FreeText1                | See 3.3.5                 | 25007             | 0        |   |
| Txt2             | FreeText2                | See 3.3.5                 | 25008             | 0        |   |
| Txt3             | FreeText3                | See 3.3.5                 | 25009             | 0        |   |
| ExrMethod        | ExerciseMethod           | M=Manual<br>A=Automatic   | 747 <sup>2</sup>  | 0        | See 4.2.4   |
| TrnsfrMode       | TransferMode             | 1=Immediate<br>2=Deferred | 29009             | 0        | See 4.2.4   |
| PosID            | PositionID               |                           | 2618              | Α        | Position ID for regulatory reporting, see 4.2.2   |
| CntgPx           | PositionContingentPrice  |                           | 1595              | 0        | Price used to calculate variation margin in case a capital adjustment was done for single stock futures.          |
| Hdr              | Standard Header, see 2.1 |                           |                   | Α        |   |
| Pty              | Parties                  | -                         | -                 | -        |   |
| ID               | PartyID                  |                           | 448               | Α        | Clearing Member ID  |
| R                | PartyRole                | 4=Clearing Firm           | 452               | Α        |   |
| Pty              | Parties                  | -                         | -                 | -        |   |
| ID               | PartyID                  |                           | 448               | Α        | Exchange Member ID  |
| R                | PartyRole                | 1=Executing Firm          | 452               | Α        |   |
| Pty              | Parties                  | -                         | -                 | -        |   |
| ID               | PartyID                  |                           | 448               | Α        | Account Number  |
| R                | PartyRole                | 38=Position Account       | 452               | Α        |   |
| Pty              | Parties                  | -                         | -                 | -        |   |
|                  |                          |                           |                   |          |   |

#### Always present, Optionally present $\downarrow$

|               | FIX | (ML Name     | Field/Component Name       | Valid Values                               | FIX<br>Tag         | Presence | Remarks  |
|---------------|-----|--------------|----------------------------|--|--------------------|----------|--|
|               |     | ID           | PartyID                    |  | 448                | 0        | Subgroup+Trader Num., e.g. TRD001  |
|               |     | R            | PartyRole                  | 12=Executing Trader                        | 452                | 0        |  |
|               | F   | Pty          | Parties                    | -  | -                  | _        |  |
| Entering Firm |     | ID           | PartyID                    |  | 448                | 0        | Contains entering firm (for notification and for simplified outsourcing). Contains Eurex ID ("ECAG") or ECC ID ("ECC") in case of on-behalf actions by Eurex or ECC. |
|               |     | R            | PartyRole                  | 7=Entering Firm                            | 452                | 0        |  |
| je.           | F   | Pty          | Parties                    | -  | -                  | -        |  |
| Entering User |     | ID           | PartyID                    |  | 448                | 0        | Contains entering user for notification and for simplified outsourcing via GUI   |
| ш             |     | R            | PartyRole                  | 36=Entering Trader                         | 452                | 0        |  |
|               | I   | nstrmt       | Instrument, see 2.2        |  | -                  | -        |  |
|               | F   | ReltdInstrmt | RelatedInstrumentGrp       |  | -                  | -        |  |
|               |     | InstrmtTyp   | RelatedInstrumentType      | 102=Option instrument for futures creation | 1648               | 0        |  |
|               |     | Sym          | RelatedSymbol              |  | 1649               | 0        | Can be [N/A].  |
|               |     | StrkPx       | RelatedStrikePrice         |  | 29000 <sup>3</sup> | 0        | Present for futures position creation, contains the strike price of the option.  |
|               | ι   | Jndly        | UndInstrmtGrp              |  | -                  | -        | Group only present for notification/allocation,<br>PosTransType=1004   |
|               |     | Undly        | UnderlyingInstrument       |  | -                  | _        | Single instance only.  |
|               |     | ID           | UnderlyingSecurityID       |  | 309                | 0        | Contains the identifier of the clearing house for the deliverable.   |
|               |     | Src          | UnderlyingSecurityIDSource | 8=Exchange Symbol                          | 305                | 0        |  |
|               | C   | Qty          | PositionQty                | -  | -                  | Α        |  |
|               |     | Тур          | PosType                    | PA=Adjustment Qty                          | 703                | Α        |  |
|               |     | Long         | LongQty                    |  | 704                | Α        |  |
|               |     | Short        | ShortQty                   |  | 705                | Α        |  |
|               | C   | Qty          | PositionQty                | -  | -                  | Α        |  |
|               |     | Тур          | PosType                    | TOT=Total Transaction Qty                  | 703                | Α        |  |
|               |     | Long         | LongQty                    |  | 704                | Α        |  |
|               |     | Short        | ShortQty                   |  | 705                | Α        |  |
|               | C   | Qty          | PositionQty                | -  | -                  | Α        |  |

FIXML Name Field/Component Name Valid Values Remarks Tag Тур PosType ALC=Allocation Trade Qty Α 703 Long LongQty 704 Α ShortQty 705 Short Α Qty PositionQty Α See 4.2.4 0 Тур PosType TRF=Transfer Trade Qty 703 TX=Transaction from Exercise CAA=Corporate Action Adjustment DN=Delivery Notice Qty

Always present, Optionally present ↓

LongQty

ShortQty

User-defined values not currently part of the FIX standard.
 Custom usage, currently not part of the standard *PosMaintRpt*. See 5.3 "User-defined use of fields/components"
 User-defined field. See 5.3 "User-defined use of fields/components"

RCV=Receive Quantity AS=Option Assignment TQ=Transaction Quantity NEX=Total Abandon Quantity

#### 4.2 Field usage

Long

Short

#### 4.2.1 **Transfer Reason**

TransferReason (830) contains the Eurex-internal transaction type, which is also displayed on the Derivatives Clearing GUI:

704

705

| Value | Meaning                                       |
|-------|---|
| 100   | Position Closing Adjustment                   |
| 102   | Position Transfer Internal                    |
| 104   | Position Transfer External by Clearing House  |
| 108   | Position Opening Adjustment                   |
| 110   | Manual Exercise                               |
| 111   | Automatic Exercise                            |
| 112   | Exercise Adjustment                           |
| 114   | Assignment                                    |
| 115   | Clearing House Transfer                       |
| 117   | Position Conversion                           |
| 118   | Position Adjustment Due to Capital Adjustment |
| 120   | Notification                                  |

| Value | Meaning                                     |
|-------|---|
| 122   | Notification Adjustment                     |
| 124   | Allocation                                  |
| 126   | Futures Position Creation                   |
| 127   | Abandon                                     |
| 129   | Automatic Close-out                         |
| 306   | Position Transfer External                  |
| 307   | Position Transfer External with Cash Amount |

#### 4.2.2 PositionID

PositionID (29012) is included for regulatory reporting. It contains a unique, variable-length, alphanumeric position identifier, which is up to 11 characters long. Each transaction in the same instrument, account and basket id is booked to the position ID established when the first such transaction is reported. Note that a position amount of "0" (e.g. due to exercise) does not delete the position ID. Once additional transactions in the same instrument are booked to the account (i.e. the amount is greater than 0 again) the same position ID will be referenced.

For further information on the usage of the *PositionID*, please refer to the EMIR reporting documentation available in the member section under <a href="https://member.eurexclearing.com/">https://member.eurexclearing.com/</a> > Clearing Resources > EMIR Reporting

#### 4.2.3 Position conversion for flexible contracts

Should a flexible contract become identical to a standard contract, or – due to corporate action or expiration date change – identical to another flexible contract, the system will automatically convert the flexible positions. The interface will send the respective *PositionMaintenanceReport* messages to book-out the old position and book-in the new position (with *TransferReason=117*).

#### 4.2.4 Message structure matrix

The structure of the individual *PositionMaintenanceReport* messages depends on the change reported therein. All position update report messages contain three *PositionQty* groups of the types *PA* (Adjustment Quantity), *TOT* (Total Transaction Quantity) and *ALC* (Allocation Trade Quantity). Depending on the event reported, one additional *PositionQty* group will be included and *ExerciseMethod* (747) and *TransferMode* (29009) may be present:

| Type of Position Update                      | TxnTyp<br>(709)           | PositionQty Groups of PosType (703) |     |    |    |     |    | ExrMethod<br>(747) | TrnsfrMode<br>(29009) |             |
|--|---------------------------|-------------------------------------|-----|----|----|-----|----|--------------------|-----------------------|-------------|
|  | (155)                     | PA                                  | TRF | TX | AS | CAA | DN | RCV                | • /                   | (====)      |
| Position Close-out                           | 1006=Close-out            | ×                                   |     |    |    |     |    |                    |                       |             |
| Position Re-open                             | 1007=Re-open              | ×                                   |     |    |    |     |    |                    |                       |             |
| Internal Position Transfer                   | 1000=Internal Transfer    | ×                                   | ×   |    |    |     |    |                    |                       | 1=Immediate |
| External Position Transfer by Clearing House | 1001=Transfer of Firm     | ×                                   | ×   |    |    |     |    |                    |                       | 2=Deferred  |
| External Position Transfer                   | 1002=External<br>Transfer | ×                                   | ×   |    |    |     |    |                    |                       | 1=Immediate |
| External Position Transfer with Cash Amount  | 1002=External<br>Transfer | ×                                   | ×   |    |    |     |    |                    |                       | 1=Immediate |

| Type of Position Update  | ТхпТур<br>(709)           | PositionQty Groups of PosType (703) |     |                       |                       |     |                       | ExrMethod<br>(747)    | TrnsfrMode<br>(29009) |         |
|--|---------------------------|-------------------------------------|-----|-----------------------|-----------------------|-----|-----------------------|-----------------------|-----------------------|---------|
|  | (103)                     | PA                                  | TRF | TX                    | AS                    | CAA | DN                    | RCV                   |                       | (29009) |
| Clearing house transfer<br>(cooperation product EOD<br>processing) | 1002=External<br>Transfer | ×                                   | ×   |                       |                       |     |                       |                       |                       |         |
| Exercise   | 1=Exercise                | ×                                   |     | <b>x</b> <sup>1</sup> |                       |     |                       |                       | M=Manual              |         |
| Automatic Exercise   | 1=Exercise                | ×                                   |     | <b>x</b> <sup>2</sup> |                       |     |                       |                       | A=Automatic           |         |
| Exercise Adjustment  | 1=Exercise                | x¹                                  |     | <b>x</b> <sup>2</sup> |                       |     |                       |                       | M=Manual              |         |
| Assignment   | 1=Exercise                | ×                                   |     |                       | <b>x</b> <sup>3</sup> |     |                       |                       |                       |         |
| Position Adjustment Due to Capital Adjustment                      | 1003=Corporate Action     | ×                                   |     |                       |                       | ×   |                       |                       |                       |         |
| Position Conversion  | 1003=Corporate Action     | ×                                   |     |                       |                       | ×   |                       |                       |                       |         |
| Notification   | 1004=Notification         | ×                                   |     |                       |                       |     | × <sup>4</sup>        |                       |                       |         |
| Notification Adjustment  | 1004=Notification         | x¹                                  |     |                       |                       |     | <b>x</b> <sup>5</sup> |                       |                       |         |
| Allocation   | 1004=Notification         | ×                                   |     |                       |                       |     |                       | <b>x</b> <sup>6</sup> |                       |         |
| Futures Position Creation  | 1005=Position Creation    | ×¹                                  |     |                       |                       |     |                       |                       |                       |         |

<sup>1.</sup> LongQty (704) only, positive values.

<sup>2.</sup> Long Qty (704) only, negative values.

<sup>3.</sup> ShortQty (705) only.

<sup>4.</sup> ShortQty (705) only, positive values.

<sup>5.</sup> ShortQty (705) only, negative values.

<sup>6.</sup> Long Qty (704) only.

## 5 Appendix – dictionary of user-defined fields and values

The Eurex Clearing FIXML Interface uses a small amount of user-defined values and fields, which are listed below. As a committed member of the FIX community, Eurex will work closely with all concerned bodies towards transitioning user-defined fields in the protocol specification and/or adapting the Eurex Clearing FIXML Interface to match the specification as closely as possible.

## 5.1 User-defined fields

| FIX Tag | Field       | Field Name             | Data Type | Valid Values                 | Used in   |
|---------|-------------|------------------------|-----------|------------------------------|---|
| 25007   | Txt1        | FreeText1              | String    | See 3.3.5                    | TradeCaptureReport, PositionMaintenanceReport                     |
| 25008   | Txt2        | FreeText2              | String    | See 3.3.5                    | TradeCaptureReport, PositionMaintenanceReport                     |
| 25009   | Txt3        | FreeText3              | String    | See 3.3.5                    | TradeCaptureReport, PositionMaintenanceReport                     |
| 25010   | GUTxt1      | GiveUpFreeText1        | String    | See 3.3.5                    | TradeCaptureReport  |
| 25011   | GUTxt2      | GiveUpFreeText2        | String    | See 3.3.5                    | TradeCaptureReport  |
| 25012   | GUTxt3      | GiveUpFreeText3        | String    | See 3.3.5                    | TradeCaptureReport  |
| 25040   | Txt1        | AllocFreeText1         | String    | See 3.3.5                    | TradeCaptureReport,<br>AllocationReport,<br>AllocationInstruction |
| 25041   | Txt2        | AllocFreeText2         | String    | See 3.3.5                    | TradeCaptureReport,<br>AllocationReport,<br>AllocationInstruction |
| 25042   | Txt3        | AllocFreeText3         | String    | See 3.3.5                    | TradeCaptureReport,<br>AllocationReport,<br>AllocationInstruction |
| 29000   | StrkPx      | RelatedStrikePrice     | Price     |                              | PositionMaintenanceReport   |
| 29001   | PosEfctActn | PositionEffectAction   | int       | 1 = Opposite position opened | TradeCaptureReport  |
| 29009   | TrnsfrMode  | TransferMode           | int       | 1=Immediate<br>2=Deferred    | PositionMaintenanceReport   |
| 29010   | SubTyp      | RelatedSecuritySubType | String    |                              | TradeCaptureReport  |

#### 5.2 User-defined values

| FIX<br>Tag | FIXML Name | Field Name       | Additional Valid Values  | Remarks   | Used in |
|------------|------------|------------------|--|---|---------|
| 828        | ТгdТур     | TrdType          | 1000 = Vola Trade<br>1001 = EFP-Fin Trade<br>1002 = EFP-Index-Futures Trade<br>1004 = Transaction based Settlement<br>1006 = Enlight Triggered Trade<br>1007 = Block QTPIP Trade<br>1008 = Compression Trade | User-defined enumeration  | TCR     |
| 829        | TrdSubTyp  | TrdSubType       | 1000 = Open/Close Adjustment<br>1001 = Transaction Adjustment<br>1002 = Trade Split<br>1005 = Average Pricing<br>1006 = De-merge   | User-defined enumeration  | TCR     |
| 709        | TxnTyp     | PosTransTyp      | 1000 = Internal Transfer<br>1001 = Transfer of Firm<br>1002 = External Transfer<br>1003 = Corporate Action<br>1004 = Notification<br>1005 = Position Creation<br>1006 = Close-out<br>1007 = Re-open          | Temporary user-defined values; to be used until standard value has been defined by FPL. | PMR     |
| 71         | TransTyp   | AllocTransType   | 7 = Restate  | Temporary user-defined value; to be used until standard value has been defined by FPL.  | AR      |
| 1832       | Clrd       | ClearedIndicator | 4 = Cleared with preliminary price   | Temporary user-defined value; to be used until standard value has been defined by FPL.  | TCR, AR |

## 5.3 User-defined use of fields/components

The Eurex Clearing FIXML Interface uses a small range of standard fields/components in other message types than foreseen by the FIX protocol.

- The RelatedInstrumentGroup has been included in the TradeCaptureReport message (as part of TradeReportOrderDetail).
- TradeMatchTimestamp (1888) has been included in the AllocationReport message
- ClearedIndicator (1832) has been included in the AllocationReport message.

#### 5.4 Omitted fields

The fields *PartyIDSource* (447), *NestedPartyIDSource* (525) and *RootPartyIDSource* (1118), respectively, are conditionally required by the FIX standard. For efficiency reasons, the Eurex Clearing FIXML Interface generally does not include these fields. Member applications validating against standard templates should assume that the field value is always 'D=Proprietary/Custom code'.